



**Master Seafood List**

**Legend:**

- Ocean Wise, sustainable seafood option
  - Avoid, unsustainable choice
  - Under review, still gathering information on the fishery
  - Eco-Certified, refer to the Recommendation to determine if it is Ocean Wise or not
- \*only the green options are Ocean Wise recommended options

**Last Updated: December 5, 2017**

| Type           | Eco-Certification | Recommendation  | Variety  | Latin name   | MSC Fishery Name                   | Farmed/Wild | Harvest Method                                  | Region   |
|----------------|-------------------|-----------------|--|--|------------------------------------|-------------|---|--|
| Abalone        |                   | Ocean Wise      | Abalone, Red, Japanese, Paua/Black, Tokobushi/Small, Perlemoen, Blacklip, Greenlip | <i>Haliotis spp.</i>   |                                    | Farmed      | Contained Production Systems                    | Worldwide  |
|                |                   | Not Recommended | Abalone  | <i>Haliotis spp.</i>   |                                    | Farmed      | Sea ranching                                    | China, Japan                                       |
|                | MSC               | Ocean Wise      | Greenlip, Brownlip, Roe's  | <i>Haliotis laevigata</i> , <i>Haliotis conicopora</i> , <i>Haliotis roel</i>  | Western Australia Abalone Fishery  | Wild        | Hand collection                                 | Australia  |
| Alfonsino      |                   | Ocean Wise      | Alfonsino  | <i>Beryx splendens</i> , <i>B. decadactylus</i>                                |                                    | Wild        | Midwater trawl                                  | New Zealand (management areas BYX1 and BYX2)       |
|                |                   | Not Recommended | Alfonsino  | <i>Beryx splendens</i> , <i>B. decadactylus</i>                                |                                    | Wild        | Bottom trawl (all areas); Midwater trawl (BYX3) | New Zealand  |
| Anchovy        |                   | Not Recommended | European anchovy   | <i>Engraulis encrasicolus</i>  |                                    | Wild        | Unassociated purse seine, Midwater trawl        | Mediterranean Sea, Black Sea                       |
|                | MSC               | Not Recommended | Anchovy  | <i>Engraulis anchoita</i>  | Argentine anchovy                  | Wild        | Midwater trawl                                  | South West Atlantic - Argentina, Uruguay           |
|                | MSC               | Not Recommended | European anchovy   | <i>Engraulis encrasicolus</i>  | Cantabrian Sea purse seine anchovy | Wild        | Purse seine                                     | Bay of Biscay: Sub-area VIII                       |
| Barnacle       |                   | Ocean Wise      | Gooseneck barnacle   | <i>Pollicipes polymerus</i>  |                                    | Wild        | Hand harvest                                    | British Columbia                                   |
| Barramundi     |                   | Ocean Wise      | Barramundi   | <i>Lates calcarifer</i>  |                                    | Farmed      | Recirculating aquaculture system (RAS)          | US   |
|                |                   | Ocean Wise      | Barramundi   | <i>Lates calcarifer</i>  |                                    | Farmed      | Open net pen                                    | Van Phong Bay, Vietnam                             |
|                |                   | Not Recommended | Barramundi   | <i>Lates calcarifer</i>  |                                    | Farmed      | Open net pen                                    | Australia, South Pacific                           |
|                |                   | Not Recommended | Barramundi   | <i>Lates calcarifer</i>  |                                    | Wild        | Gillnet, handline, pelagic longline             | Indonesia  |
|                |                   | Under Review    | Barramundi   | <i>Lates calcarifer</i>  |                                    | Wild        | Gillnet   | Australia  |
| Bass           |                   | Ocean Wise      | Hybrid striped bass  | <i>Morone saxatilis x Morone chrysops</i>                                      |                                    | Farmed      | Recirculating aquaculture system (RAS)          | US   |
|                |                   | Ocean Wise      | Striped bass   | <i>Morone saxatilis</i>  |                                    | Wild        | Handline  | US Atlantic  |
|                |                   | Not Recommended | Striped bass   | <i>Morone saxatilis</i>  |                                    | Wild        | Gillnet, Poud net                               | US Atlantic  |
| Black Sea Bass |                   | Ocean Wise      | Atlantic Seabass, Black Perch, Chub, Rock Bass, Seabass, Tallywag                  | <i>Centropristis striata</i>   |                                    | Farmed      | Recirculating aquaculture system (RAS)          | Worldwide  |
|                |                   | Ocean Wise      | Atlantic Seabass, Black Perch, Chub, Rock Bass, Seabass, Tallywag                  | <i>Centropristis striata</i>   |                                    | Wild        | Trap  | US Southern Mid-Atlantic, US Northern Mid Atlantic |
|                |                   | Ocean Wise      | Atlantic Seabass, Black Perch, Chub, Rock Bass, Seabass, Tallywag                  | <i>Centropristis striata</i>   |                                    | Wild        | Handline  | US Mid-Atlantic, US South Atlantic                 |
|                |                   | Not Recommended | aka Atlantic sea bass  | <i>Centropristis striata</i>   |                                    | Wild        | Bottom trawl                                    | US Atlantic  |
| Bluefish       |                   | Ocean Wise      | Bluefish   | <i>Pomatomus saltatrix</i>   |                                    | Wild        | Handline, Pole, Troll                           | Northern Atlantic US                               |
|                |                   | Not Recommended | Bluefish   | <i>Pomatomus saltatrix</i>   |                                    | Wild        | Bottom gillnet, Bottom trawl                    | Northern Atlantic US                               |
| Bluenose       |                   | Not Recommended | Antarctic butterfish, deepsea trevalla, bluenose seabass                           | <i>Hyperoglyphe antarctica</i>   |                                    | Wild        | Bottom longline, Bottom trawl, Midwater trawl   | New Zealand  |
| Capelin        |                   | Ocean Wise      | Smelt, smelt roe, masago   | <i>Mallotus villosus</i>   |                                    | Wild        | Trap net; Purse seine                           | Iceland  |
|                |                   | Ocean Wise      | Smelt, smelt roe, masago   | <i>Mallotus villosus</i>   |                                    | Wild        | Purse seine                                     | Canada: Gulf of St Lawrence, North Atlantic        |
|                |                   | Not Recommended | Smelt, smelt roe, masago   | <i>Mallotus villosus</i>   |                                    | Wild        | Trap net, Tuck seine                            | Canada: Gulf of St Lawrence, North Atlantic        |
|                | MSC               | Ocean Wise      | Smelt, smelt roe, masago   | <i>Mallotus villosus</i>   |                                    | Wild        | Purse seine, Trawls, Pelagic Trawl              | Iceland  |
| Carp           | Naturland         | Ocean Wise      | Carp   | <i>Cyprinus carpio</i>   |                                    | Farmed      | Various   | Worldwide  |
| Catfish        |                   | Ocean Wise      | Channel catfish  | <i>Ictalurus punctatus</i>   |                                    | Farmed      | Pond  | US   |
|                |                   | Ocean Wise      | Catfish  | <i>Clarias gariepinus</i> , <i>Ictalurus punctatus</i> , <i>Silurus glanis</i> |                                    | Farmed      | Recirculating aquaculture system (RAS)          | Worldwide  |
|                |                   | Not Recommended | Channel catfish  | <i>Ictalurus punctatus</i>   |                                    | Farmed      | Pond, net pen                                   | China  |
|                |                   | Not Recommended | Pangasius, basa, sutchi catfish, Mekong river fish, striped catfish                | <i>Pangasiodon hypophthalmus</i>   |                                    | Farmed      | Pond  | Vietnam  |
|                | ASC               | Ocean Wise      | Catfish, Pangasius   | <i>Pangasius spp.</i>  |                                    | Farmed      | Various   | Worldwide  |
|                | Naturland         | Ocean Wise      | Catfish, Pangasius   | <i>Pangasius spp.</i>  |                                    | Farmed      | Various   | Worldwide  |
| Caviar/Roe     |                   | Ocean Wise      | Capelin roe, smelt roe, masago   | <i>Mallotus villosus</i>   |                                    | Wild        | Purse seine; Midwater trawl                     | Iceland  |
|                |                   | Ocean Wise      | Sea urchin roe, red sea urchin roe, uni  | <i>Strongylocentrotus droebachiensis</i> , <i>S. franciscanus</i>              |                                    | Wild        | Diver   | Canada   |
|                |                   | Ocean Wise      | Shortnose sturgeon   | <i>Acipenser brevirostrum</i>  |                                    | Farmed      | Recirculating aquaculture system (RAS)          | Canada, New Brunswick                              |
|                |                   | Ocean Wise      | White sturgeon   | <i>Acipenser transmontanus</i>   |                                    | Farmed      | Recirculating aquaculture system (RAS)          | Sechelt, BC  |
|                |                   | Not Recommended | Atlantic sturgeon  | <i>Acipenser oxyrinchus oxyrinchus</i>   |                                    | Wild        | Large mesh bottom gillnet                       | Quebec: St Lawrence River                          |
|                |                   | Not Recommended | Lake sturgeon  | <i>Acipenser fulvescens</i>  |                                    | Wild        | Large mesh bottom gillnet                       | Quebec: St Lawrence River                          |
|                |                   | Not Recommended | Paddlefish   | <i>Polyodon spathula</i>   |                                    | Wild        | Drift gillnet                                   | Mississippi, US                                    |
|                |                   | Not Recommended | Shovelnose sturgeon  | <i>Scaphirhynchus platorhynchus</i>  |                                    | Wild        | Drift gillnet                                   | Mississippi River, US                              |
|                |                   | Not Recommended | Capelin, Smelt, smelt roe, masago  | <i>Mallotus villosus</i>   |                                    | Wild        | Purse seine; Midwater trawl                     | Canada   |
|                |                   | Not Recommended | White sturgeon   | <i>Acipenser transmontanus</i>   |                                    | Farmed      | Recirculating aquaculture system (RAS)          | Columbia River, US                                 |
|                |                   | Under Review    | Flying fish roe, tobiko  | <i>Parexocoetus brachypterus</i> ; <i>Cheilopogon exsiliens</i>                |                                    | Wild        | Dip net; Handline                               | Worldwide  |
|                |                   | Under Review    | Lumpfish   | <i>Cyclopterus lumpus</i>  |                                    | Wild        | Gillnet   | Canada   |
|                | Char              |                 | Ocean Wise   | Arctic char  | <i>Salvelinus alpinus</i>          |             | Farmed  | Flow through system                                |

|                 |  |                 |  |   |   |        |   |   |                                |
|-----------------|--|-----------------|--|---|---|--------|---|---|--------------------------------|
|                 |  | Ocean Wise      | Arctic char  | <i>Salvelinus alpinus</i>   |   | Farmed | Recirculating Aquaculture Systems (RAS)                                 | Worldwide   |                                |
|                 |  | Ocean Wise      | Arctic char  | <i>Salvelinus alpinus</i>   |   | Wild   | Weir, Bottom gillnet  | Canada: Nunavut   |                                |
| Chilean Seabass |  | Not Recommended | Patagonian toothfish   | <i>Dissostichus eleginoides</i>   |   | Wild   | Bottom longline; Bottom trawl; Various                                  | Prince Edward and Marion Islands, Chile                                 |                                |
|                 | MSC                                      | Ocean Wise      | Patagonian toothfish   | <i>Dissostichus eleginoides</i>   | Macquarie Island toothfish  | Wild   | Trawl   | Macquarie Island  |                                |
|                 | MSC                                      | Ocean Wise      | Patagonian toothfish   | <i>Dissostichus eleginoides</i>   | Heard Island and McDonald Islands (HIMI) toothfish                    | Wild   | Bottom trawl, Bottom longline   | Heard Island and McDonald Islands                                       |                                |
|                 | MSC                                      | Ocean Wise      | Patagonian toothfish   | <i>Dissostichus eleginoides</i>   | Falkland Island toothfish   | Wild   | Longline  | Falkland Islands  |                                |
|                 | MSC                                      | Ocean Wise      | Patagonian toothfish   | <i>Dissostichus eleginoides</i>   | South Georgia Patagonian toothfish longline                           | Wild   | Bottom longline   | Around the island of South Georgia                                      |                                |
|                 | MSC                                      | Not Recommended | Patagonian toothfish   | <i>Dissostichus eleginoides</i>   | Macquarie Island toothfish  | Wild   | Bottom longline   | Macquarie Island  |                                |
|                 | MSC                                      | Not Recommended | Patagonian toothfish   | <i>Dissostichus eleginoides</i>   | SARPC Toothfish   | Wild   | Bottom longline   | Area around the islands of Kerguelen and Crozet                         |                                |
|                 | MSC                                      | Not Recommended | Patagonian toothfish   | <i>Dissostichus eleginoides</i>   | Ross Sea Toothfish Longline   | Wild   | Bottom longline   | Ross sea  |                                |
| Clams           |  | Ocean Wise      | Atlantic surf clam   | <i>Spisula solidissima</i>  |   | Wild   | Hydraulic dredge  | US Atlantic   |                                |
|                 |  | Ocean Wise      | Clams, (Manila, Razor & Venus Clams, Cockles, Littlenecks, Steamers, Hard Clams) | <i>Anadara spp., Cyclina spp., Merceneria spp., Meretrix spp., Sinonvacula spp., Tapes spp., Venerupis spp.</i> |   | Farmed | Dredge, Hand harvest, Hand rake   | Worldwide   |                                |
|                 |  | Ocean Wise      | Geoduck  | <i>Panopea generosa</i>   |   | Farmed | On-bottom culture   | British Columbia, Washington  |                                |
|                 |  | Ocean Wise      | Geoduck  | <i>Panopea generosa</i>   |   | Wild   | Stinger   | British Columbia, Washington  |                                |
|                 |  | Ocean Wise      | Hard clam  | <i>Merceneria mercenaria</i>  |   | Wild   | Hand rake, Hand harvest   | Massachusetts, North Carolina, Rhode Island                             |                                |
|                 |  | Ocean Wise      | Hard clam  | <i>Merceneria mercenaria</i>  |   | Wild   | Hand rake   | Atlantic Canada   |                                |
|                 |  | Ocean Wise      | Northern quahog clam   | <i>Merceneria mercenaria</i>  |   | Wild   | Hand rake   | Massachusetts, New York, North Carolina, Rhode Island                   |                                |
|                 |  | Ocean Wise      | Ocean quahog   | <i>Arctica islandica</i>  |   | Wild   | Hydraulic dredge  | US Atlantic   |                                |
|                 |  | Ocean Wise      | Razor clam   | <i>Siliqua patula</i>   |   | Wild   | Hand harvest  | Washington, Oregon, Quinault Nation                                     |                                |
|                 |  | Ocean Wise      | Razor clam   | <i>Siliqua patula</i>   |   | Wild   | Hand harvest  | Alaska & British Columbia   |                                |
|                 |  | Ocean Wise      | Softshell/Steamers clam (Fryer, Ipswich & Longneck Clams, Steamers)              | <i>Mya arenaria</i>   |   | Wild   | Hand rake, Hand harvest   | Maine, Massachusetts  |                                |
|                 |  | Ocean Wise      | Softshell clam   | <i>Mya arenaria</i>   |   | Wild   | Hand rake   | Atlantic Canada   |                                |
|                 | MSC                                      | Ocean Wise      | Arctic surf clam   | <i>Macromeris polynyma</i>  | Clearwater Seafoods Banquereau and Grandbanks Arctic surf clam        | Wild   | Hydraulic dredge  | Banquereau Bank, Grand Banks  |                                |
|                 | MSC                                      | Ocean Wise      | Atlantic surf clam & Ocean quahog  | <i>Spisula solidissima, Arctica islandica</i>   | US Atlantic Surfclam and Ocean Quahog                                 | Wild   | Hydraulic dredge  | US Northeast Atlantic   |                                |
|                 | MSC                                      | Ocean Wise      | Cockle   | <i>Cerastoderma edule</i>   | Clams and cockle Fishery from Ria de Arousa                           | Wild   | Hand harvest  | Ria de Arousa - Spain   |                                |
|                 | MSC                                      | Ocean Wise      | Pullet carpet shell clam   | <i>Venerupis pullastra</i>  | Clams and cockle Fishery from Ria de Arousa                           | Wild   | Hand harvest  | Ria de Arousa - Spain   |                                |
|                 | MSC                                      | Ocean Wise      | Grooved carpet shell   | <i>Duditapes decussatus</i>   | Clams and cockle Fishery from Ria de Arousa                           | Wild   | Hand harvest  | Ria de Arousa - Spain   |                                |
|                 | MSC                                      | Ocean Wise      | Short-necked clam  | <i>Ruditapes philippinarum</i>  | Clams and cockle Fishery from Ria de Arousa                           | Wild   | Hand harvest  | Ria de Arousa - Spain   |                                |
|                 | MSC                                      | Ocean Wise      | Razor clam   | <i>Ensis arcuatus</i>   | Razor clam fishery from Ria de Pontevedra                             | Wild   | Diver   | Ria de Pontevedra - Spain   |                                |
|                 | ASC                                      | Ocean Wise      | Clams  | Multiple Species  |   | Farmed | Various   | Worldwide   |                                |
|                 | Canadian Organic Food Alliance Shellfish | Ocean Wise      | Clams  | Multiple Species  |   | Farmed | Various   | Canada  |                                |
|                 | MSC                                      | Not Recommended | Hard clam  | <i>Meretrix lyrata</i>  | Vietnam Ben Tre clam hand gathered                                    | Wild   | Hand harvest  | Ben Tre Province - Vietnam  |                                |
|                 | MSC                                      | Not Recommended | Razor shell clam   | <i>Ensis directus</i>   | DFA Dutch North Sea ensis   | Wild   | Hydraulic dredge  | Netherlands   |                                |
|                 | MSC                                      | Not Recommended | Short-necked clams   | <i>Paphia malabarica</i>  | Ashtamudi Estuary Short-Necked Clam Fishery                           | Wild   | Diver, Hydraulic dredge   | Ashtamudi Estuary, Kerala, India  |                                |
|                 | Cobia                                    |                 | Ocean Wise   | Cobia   | <i>Rachycentron canadum</i>   |        | Farmed  | Recirculating aquaculture system (RAS)                                  | US                             |
|                 |  |                 | Ocean Wise   | Cobia   | <i>Rachycentron canadum</i>   |        | Wild  | Handline, Midwater gillnet  | US Atlantic, US Gulf of Mexico |
|                 |  |                 | Not Recommended  | Cobia   | <i>Rachycentron canadum</i>   |        | Farmed  | Open net pen, Submersible net pen                                       | Panama                         |
|                 |  | Not Recommended | Cobia  | <i>Rachycentron canadum</i>   |   | Wild   | Bottom longline   | US Gulf of Mexico   |                                |
| Cockle          |  | Ocean Wise      | New Zealand Cockle   | <i>Austrovenus stutchburyi</i>  |   | Wild   | Hand picking, dredge  | New Zealand   |                                |
|                 | MSC                                      | Ocean Wise      | Common cockle  | <i>Cerastoderma edule</i>   | Burry Inlet cockles   | Wild   | Hand harvest, Hand rake   | Burry Inlet, Carmarthenshire and Swansea, South Wales, UK               |                                |
|                 | MSC                                      | Ocean Wise      | Common cockle  | <i>Cerastoderma edule</i>   | Dee Estuary cockle  | Wild   | Hand harvest  | Dee Estuary, UK   |                                |
|                 | MSC                                      | Ocean Wise      | Common cockle  | <i>Cerastoderma edule</i>   | DFPO Limfjord mussel and cockle                                       | Wild   | Hydraulic dredge  | Denmark's Limfjord, FAO Statistical Area 27                             |                                |
|                 | MSC                                      | Ocean Wise      | Waddenzee  | <i>Cerastoderma edule</i>   | OHV Dutch Waddenzee and Oosterschelde Hand Raked cockle               | Wild   | Hand rake   | Netherlands EEZ   |                                |
|                 | MSC                                      | Ocean Wise      | Oosterschelde  | <i>Cerastoderma edule</i>   | OHV Dutch Waddenzee and Oosterschelde Hand Raked cockle               | Wild   | Hand rake   | Netherlands EEZ   |                                |
| Cod             |  | Ocean Wise      | Atlantic cod   | <i>Gadus morhua</i>   |   | Wild   | Handline  | US: Georges Bank  |                                |
|                 |  | Ocean Wise      | Pacific cod  | <i>Gadus macrocephalus</i>  |   | Wild   | Bottom trawl, Trap, Jig, Bottom longline                                | Alaska  |                                |
|                 |  | Ocean Wise      | Pacific cod  | <i>Gadus macrocephalus</i>  |   | Wild   | Bottom trawl  | California, Oregon, Washington  |                                |
|                 |  | Ocean Wise      | Pacific cod  | <i>Gadus macrocephalus</i>  |   | Wild   | Bottom trawl  | British Columbia  |                                |
|                 |  | Not Recommended | Atlantic cod   | <i>Gadus morhua</i>   |   | Wild   | Bottom trawl, Bottom longline, Bottom gillnet                           | Canada  |                                |
|                 |  | Not Recommended | Atlantic cod   | <i>Gadus morhua</i>   |   | Wild   | Bottom gillnet, Bottom longline, Bottom trawl                           | US: Georges Bank  |                                |
|                 |  | Not Recommended | Atlantic cod   | <i>Gadus morhua</i>   |   | Wild   | Bottom longline, Bottom trawl, Handline                                 | US: Gulf of Maine   |                                |
|                 |  | Not Recommended | Pacific cod  | <i>Gadus macrocephalus</i>  |   | Wild   | Bottom trawl, Danish seine, Bottom longline                             | Russia  |                                |
|                 |  | Not Recommended | Pacific cod  | <i>Gadus macrocephalus</i>  |   | Wild   | Bottom trawl, Bottom longline, Bottom gillnet, Danish seine, Trap net   | Japan   |                                |
|                 |  | Under Review    | Atlantic cod   | <i>Gadus morhua</i>   |   | Wild   | Handline  | Canada  |                                |
|                 | MSC                                      | Ocean Wise      | Arctic cod   | <i>Gadus morhua</i>   | Faroe Island North East Arctic cod & Saithe                           | Wild   | Bottom trawl  | Norwegian and Russian EEZ and International waters                      |                                |
|                 | MSC                                      | Not Recommended | Arctic cod   | <i>Gadus morhua</i>   | UK Fisheries/DFPU/Doggerbank Northeast Arctic cod, haddock and saithe | Wild   | Bottom trawl  | North East Arctic - ICES Sub Areas I and II                             |                                |
|                 | MSC                                      | Ocean Wise      | Atlantic cod   | <i>Gadus morhua</i>   | Russian Federation Barents sea cod and haddock                        | Wild   | Bottom trawl  | Norwegian EEZ and Svalbard FPZ  |                                |
|                 | MSC                                      | Ocean Wise      | Arctic cod   | <i>Gadus morhua</i>   | Barents Sea cod, haddock and saithe                                   | Wild   | Bottom trawl  | Barents Sea - Within Norwegian and Russian EEZ and International Waters |                                |
|                 | MSC                                      | Ocean Wise      | Atlantic cod (North)   | <i>Gadus morhua</i>   | ISF cod   | Wild   | Bottom trawl, Midwater trawl, Longline, Danish seine, Handline, Gillnet | Icelandic EEZ   |                                |

|                 |                      |   |  |  |      |  |   |
|-----------------|----------------------|---|--|--|------|--|---|
| MSC             | Ocean Wise           | North East Arctic cod                         | <i>Gadus morhua</i>  | Greenland cod, haddock and saithe trawl                                  | Wild | Bottom trawl   | ICES Areas I and II: within Norwegian and Russian EEZ and International waters                |
| MSC             | Ocean Wise           | Pacific cod                                   | <i>Gadus macrocephalus</i>   | Alaska Pacific Cod - Bering Sea and Aleutian Islands                     | Wild | Jig, Bottom longline, Trap, Trawl                        | Alaska - Bering Sea and Aleutian Islands  |
| MSC             | Ocean Wise           | Pacific cod                                   | <i>Gadus macrocephalus</i>   | Alaska Pacific Cod - Gulf of Alaska                                      | Wild | Jig, Bottom longline, Trap, Trawl                        | Alaska - Gulf of Alaska   |
| MSC             | Not Recommended      | Arctic cod                                    | <i>Gadus morhua</i>  | Norway North East Arctic cod   | Wild | Trawl, Longline, Gillnet, Danish seine, Handline         | Norway - ICES subareas I and II   |
| MSC             | Not Recommended      | Atlantic cod                                  | <i>Gadus morhua</i>  | Canada/Newfoundland 3PS cod  | Wild | Handline, Longline, Gillnet, Various                     | North-West Atlantic, FAO 21, Northwest Atlantic Fisheries Organisation (NAFO) Subdivision 3Ps |
| MSC             | Not Recommended      | Atlantic cod                                  | <i>Gadus morhua</i>  | AGARBA Spain Barents Sea cod   | Wild | Bottom trawl   | Arctic Ocean-Barents Sea, ICES subareas I & II  |
| MSC             | Not Recommended      | Atlantic cod                                  | <i>Gadus morhua</i>  | Arkhangelsk Trawl Fleet Barents Sea cod & haddock                        | Wild | Bottom trawl   | Barents and Norwegian Seas  |
| MSC             | Not Recommended      | Atlantic cod                                  | <i>Gadus morhua</i>  | DFPO Denmark Eastern Baltic cod  | Wild | Bottom trawl, Longline                                   | ICES sub division 25-32   |
| MSC             | Not Recommended      | Atlantic cod                                  | <i>Gadus morhua</i>  | Fiskbranschens Sweden Eastern Baltic cod                                 | Wild | Bottom trawl, Longline, Trap                             | ICES areas 25-31 (Eastern Baltic Sea)   |
| MSC             | Not Recommended      | Atlantic cod                                  | <i>Gadus morhua</i>  | Poland Eastern Baltic cod  | Wild | Bottom trawl, Bottom gillnet, Midwater trawl, Longline   | Poland - FAO 27, ECES 25-32   |
| MSC             | Not Recommended      | Atlantic cod                                  | <i>Gadus morhua</i>  | DFPO Denmark North Sea & Skagerrak cod & saithe                          | Wild | Bottom trawl, Danish seine, Set net, Various             | North Sea (ICES area IV) and Divisions IIIa,b,c,d.  |
| MSC             | Not Recommended      | European cod                                  | <i>Gadus morhua</i>  | Germany Eastern Baltic cod   | Wild | Bottom trawl, Midwater trawl, Seine                      | Eastern Baltic Sea  |
| MSC             | Not Recommended      | North Sea Cod                                 | <i>Gadus morhua</i>  | Scottish Fisheries Sustainable Accreditation Group (SFSAG) North Sea cod | Wild | Trawl  | Northeast Atlantic FAO area 27  |
| MSC             | Not Recommended      | Arctic cod                                    | <i>Gadus morhua</i>  | Comapêche and Euronor cod and haddock                                    | Wild | Bottom trawl   | North East Arctic - ICES Sub Areas I and II   |
| Conch           | Ocean Wise           | Queen conch, Pink conch                       | <i>Strombus gigas</i>  |  | Wild | Diver  | Caribbean Sea: US Virgin Islands  |
|                 | Not Recommended      | Queen conch, Pink conch                       | <i>Strombus gigas</i>  |  | Wild | Diver  | Caribbean Sea: Honduras   |
|                 | Not Recommended      | Queen conch, Pink conch                       | <i>Strombus gigas</i>  |  | Wild | Diver  | Caribbean Sea: Nicaragua  |
|                 | Not Recommended      | Queen conch, Pink conch                       | <i>Strombus gigas</i>  |  | Wild | Hand harvest   | Caribbean Sea: Belize   |
|                 | Not Recommended      | Queen conch, Pink conch                       | <i>Strombus gigas</i>  |  | Wild | Diver  | Caribbean Sea: Puerto Rico  |
|                 | Not Recommended      | Queen conch, Pink conch                       | <i>Strombus gigas</i>  |  | Wild | Diver  | Northwest Atlantic: Bahamas   |
|                 | Not Recommended      | Queen conch, Pink conch                       | <i>Strombus gigas</i>  |  | Wild | Hand harvest   | Northwest Atlantic: Turks and Caicos  |
| Crab            | Ocean Wise           | Atlantic Red Deepsea Crab                     | <i>Chaceon quinquegens</i>   |  | Wild | Trap   | US Atlantic   |
|                 | Ocean Wise           | Atlantic rock crab                            | <i>Cancer irroratus</i>  |  | Wild | Conical trap   | Belle River, PEI. LFA 23, 25, 26A   |
|                 | Ocean Wise           | Blue crab (Hardshell, Softshell)              | <i>Callinectes sapidus</i>   |  | Wild | Trotline   | Chesapeake Bay, US  |
|                 | Ocean Wise           | Blue swimmer crab                             | <i>Portunus armatus</i>  |  | Wild | Trap   | Australia   |
|                 | Ocean Wise           | Brown rock crab                               | <i>Cancer antennarius</i>  |  | Wild | Crab ring  | Oregon  |
|                 | Ocean Wise           | Dungeness crab                                | <i>Metacarcinus magister (formerly Cancer magister)</i>                        |  | Wild | Trap   | Alaska, British Columbia, Washington, Oregon  |
|                 | Ocean Wise           | King crab (Golden, Blue, Red)                 | <i>Lithodes aequispinus, Paralithodes platypus, Paralithodes camtschaticus</i> |  | Wild | Trap   | Alaska - Aleutian Islands, Bristol Bay  |
|                 | Ocean Wise           | King Crab (Red)                               | <i>Paralithodes camtschaticus</i>  |  | Wild | Trap   | Norway  |
|                 | Ocean Wise           | Red rock crab                                 | <i>Cancer productus</i>  |  | Wild | Crab ring  | Oregon  |
|                 | Ocean Wise           | Snow Crab                                     | <i>Chionoecetes opilio</i>   |  | Wild | Trap   | Alaska Bering Sea   |
|                 | Ocean Wise           | Southern Tanner Crab                          | <i>Chionoecetes bairdi</i>   |  | Wild | Pot  | Alaska Bering Sea   |
|                 | Ocean Wise           | Stone crab                                    | <i>Menippe mercenaria, Menippe adina</i>                                       |  | Wild | Trap   | US Atlantic, US Gulf of Mexico  |
|                 | Not Recommended      | King Crab (Southern)                          | <i>Lithodes santolla</i>   |  | Wild | Trap   | Argentina   |
|                 | Not Recommended      | Atlantic rock crab                            | <i>Cancer irroratus</i>  |  | Wild | Trap   | US Atlantic   |
|                 | Not Recommended      | Atlantic rock crab                            | <i>Cancer irroratus</i>  |  | Wild | Trap   | Canada: Gulf of St Lawrence   |
|                 | Not Recommended      | Beni-zuwai crab                               | <i>Chionoecetes japonicus</i>  |  | Wild | Trap   | Russia Bering Sea, Sea of Okhotsk, Northern Sea of Japan                                      |
|                 | Not Recommended      | Blue crab (Hardshell, Softshell)              | <i>Callinectes sapidus</i>   |  | Wild | Trap   | Gulf of Mexico, US Atlantic   |
|                 | Not Recommended      | Blue, red swimmer crab (Hardshell, Softshell) | <i>Portunus pelagicus, P. haanii</i>   |  | Wild | Trap, Bottom gillnet, Bottom trawl                       | China, Thailand, Indonesia, India, Vietnam  |
|                 | Not Recommended      | Blue swimmer crab                             | <i>Portunus armatus</i>  |  | Wild | Bottom trawl   | Australia   |
|                 | Not Recommended      | Blue swimmer crab                             | <i>Portunus pelagicus</i>  |  | Wild | Bottom gillnet, Trap                                     | Philippines   |
|                 | Not Recommended      | Brown rock crab                               | <i>Cancer antennarius</i>  |  | Wild | Trap   | California  |
|                 | Not Recommended      | Chinese mitten Crab                           | <i>Eriocheir sinensis</i>  |  | Wild | Trap   | Russia Bering Sea, Sea of Okhotsk, Northern Sea of Japan                                      |
|                 | Not Recommended      | Dungeness crab                                | <i>Metacarcinus magister (formerly Cancer magister)</i>                        |  | Wild | Trap   | California  |
|                 | Not Recommended      | Hanasaki Crab                                 | <i>Paralithodes brevipes</i>   |  | Wild | Trap   | Russia Bering Sea, Sea of Okhotsk, Northern Sea of Japan                                      |
|                 | Not Recommended      | Jonah crab                                    | <i>Cancer borealis</i>   |  | Wild | Trap   | Canada and US Atlantic  |
|                 | Not Recommended      | Kegani Crab                                   | <i>Erimacrus isenbeckii</i>  |  | Wild | Trap   | Russia Bering Sea, Sea of Okhotsk, Northern Sea of Japan                                      |
|                 | Not Recommended      | King Crab (Red)                               | <i>Paralithodes camtschaticus</i>  |  | Wild | Trap   | Russia Bering Sea, Sea of Okhotsk, Northern Sea of Japan                                      |
|                 | Not Recommended      | King Crab (Blue)                              | <i>Paralithodes platypus</i>   |  | Wild | Trap   | Russia Bering Sea, Sea of Okhotsk, Northern Sea of Japan                                      |
|                 | Not Recommended      | King Crab (Golden)                            | <i>Lithodes aequispinus</i>  |  | Wild | Trap   | Russia Bering Sea, Sea of Okhotsk, Northern Sea of Japan                                      |
|                 | Not Recommended      | Red rock crab                                 | <i>Cancer productus</i>  |  | Wild | Trap   | California  |
|                 | Not Recommended      | Snow crab                                     | <i>Chionoecetes opilio</i>   |  | Wild | Trap   | Russia Bering Sea, Sea of Okhotsk, Northern Sea of Japan                                      |
|                 | Not Recommended      | Southern Tanner Crab                          | <i>Chionoecetes bairdi</i>   |  | Wild | Trap   | Russia Bering Sea, Sea of Okhotsk, Northern Sea of Japan                                      |
| Not Recommended | Triangle tanner crab | <i>Chionoecetes angulatus</i>                 |  | Wild   | Trap | Russia Bering Sea, Sea of Okhotsk, Northern Sea of Japan |   |
| Not Recommended | Yellow rock crab     | <i>Cancer anthonyi</i>                        |  | Wild   | Trap | California   |   |
| MSC             | Ocean Wise           | Blue swimmer crab & Sea Mullet                | <i>Portunus armatus, Mugil cephalus</i>  | Western Australia Peel Harvey estuarine fishery                          | Wild | Trap, Gillnet, Various                                   | Peel Harvey, Estuary, Western Australia.  |
| MSC             | Ocean Wise           | Crystal crab                                  | <i>Chaceon albus</i>   | Australia West Coast deep sea crab                                       | Wild | Trap   | West coast of Western Australia: FAO statistical area 57                                      |
| MSC             | Ocean Wise           | Snow crab                                     | <i>Chionoecetes opilio</i>   | Gulf of St Lawrence snow crab trap                                       | Wild | Trap   | Nova Scotia   |
| MSC             | Ocean Wise           | Snow crab                                     | <i>Chionoecetes opilio</i>   | Scotian shelf snow crab trap   | Wild | Trap   | Nova Scotia   |

|           |            |                        |                                       |   |  |                                       |                                       |  |
|-----------|------------|------------------------|---------------------------------------|---|--|---------------------------------------|---------------------------------------|--|
|           | MSC        | Ocean Wise             | Snow Crab                             | <i>Chionoecetes opilio</i>                              | Newfoundland & Labrador snow crab                                      | Wild                                  | Trap                                  | Newfoundland & Labrador  |
|           | MSC        | Not Recommended        | Blue crab                             | <i>Callinectes sapidus</i>                              | Louisiana blue crab  | Wild                                  | Trap                                  | Gulf of Mexico, State waters of Louisiana  |
|           | MSC        | Not Recommended        | Brown crab                            | <i>Cancer pagurus</i>                                   | SSMO Shetland inshore brown & velvet crab, lobster and scallop fishery | Wild                                  | Trap                                  | EU waters - ICES Area Iva whichs within 6 nautical miles of Shetland               |
|           | MSC        | Not Recommended        | Velvet crab                           | <i>Necora puber</i>                                     | SSMO Shetland inshore brown & velvet crab, lobster and scallop fishery | Wild                                  | Trap                                  | EU waters - ICES Area Iva whichs within 6 nautical miles of Shetland               |
|           | MSC        | Not Recommended        | Deeep Sea Red Crab                    | <i>Chaceon quinquegens</i>                              | Atlantic deep sea red crab   | Wild                                  | Trap                                  | Cape Hatteras (North Carolina) in the South to the border with Canada in the North |
| Crayfish  |            | Ocean Wise             | Crayfish (Crawfish, Crawdad)          | <i>Procambarus clarkii</i>                              |  | Farmed                                | Pond                                  | US   |
|           |            | Not Recommended        | Crayfish (Crawfish, Crawdad)          | <i>Procambarus clarkii</i>                              |  | Wild                                  | Trap                                  | Louisiana Atchafalaya Basin  |
|           |            | Not Recommended        | Crayfish (Crawfish, Crawdad)          | <i>Procambarus clarkii</i>                              |  | Farmed                                | Pond                                  | China  |
| Croaker   |            | Ocean Wise             | Atlantic croaker                      | <i>Micropogonias undulatus</i>                          |  | Wild                                  | Trap net, Seine, hook and line        | US Atlantic Ocean  |
|           |            | Not Recommended        | Atlantic croaker                      | <i>Micropogonias undulatus</i>                          |  | Wild                                  | Bottom gillnet, Bottom trawl          | US Atlantic Ocean  |
| Drum      |            | Ocean Wise             | Red drum                              | <i>Sciaenops ocellatus</i>                              |  | Farmed                                | Pond                                  | Texas, US  |
|           |            | Not Recommended        | Black Drum American eel               | <i>Pogonias cromis</i>                                  |  | Wild                                  | Trotline                              | Gulf of Mexico   |
| Eel       |            | Not Recommended        | Japanese eel, (Freshwater eel, unagi) | <i>Anguilla rostrata</i>                                |  | Farmed                                | Pond                                  | South Korea, Japan, Taiwan, China  |
|           |            | Not Recommended        | European eel (Freshwater eel, unagi)  | <i>Anguilla anguilla</i>                                |  | Farmed                                | Pond                                  | South Korea, Japan, Taiwan, China  |
|           |            | Not Recommended        | Japanese eel (Freshwater eel, unagi)  | <i>Anguilla japonica</i>                                |  | Farmed                                | Pond                                  | South Korea, Japan, Taiwan, China  |
| Eulachon  |            | Not Recommended        | Eulachon                              | <i>Thaleichthys pacificus</i>                           |  | Wild                                  | Seine, Conical net                    | BC   |
| Flounder  |            | Ocean Wise             | Arrowtooth flounder                   | <i>Atheresthes stomia</i>                               |  | Wild                                  | Bottom trawl                          | Alaska, California, Washington, Oregon   |
|           |            | Ocean Wise             | Arrowtooth flounder                   | <i>Atheresthes stomia</i>                               |  | Wild                                  | Midwater trawl                        | British Columbia   |
|           |            | Ocean Wise             | California flounder                   | <i>Paralichthys californicus</i>                        |  | Wild                                  | Trolling Lines                        | Central California, Southern California  |
|           |            | Ocean Wise             | Kamchatka flounder                    | <i>Atheresthes evermanni</i>                            |  | Wild                                  | Bottom trawl                          | Alaska   |
|           |            | Ocean Wise             | Starry flounder                       | <i>Platichthys stellatus</i>                            |  | Wild                                  | Botom trawl                           | California   |
|           |            | Not Recommended        | California flounder                   | <i>Paralichthys californicus</i>                        |  | Wild                                  | Bottom trawl, Bottom gillnet          | Central California, Southern California  |
|           |            | Not Recommended        | Arrowtooth flounder                   | <i>Atheresthes stomia</i>                               |  | Wild                                  | Bottom trawl                          | British Columbia   |
|           |            | Not Recommended        | California flounder                   | <i>Paralichthys californicus</i>                        |  | Wild                                  | Bottom trawl, Bottom gillnet          | Southern California  |
|           |            | Not Recommended        | Summer flounder, Lemon sole           | <i>Paralichthys dentatus, various</i>                   |  | Wild                                  | Bottom trawl                          | Atlantic US - New England  |
|           |            | Not Recommended        | Windowpane flounder                   | <i>Scophthalmus aquosus</i>                             |  | Wild                                  | Bottom trawl                          | Atlantic US - Mid-Atlantic, Gulf of Maine, Georges Bank, New England               |
|           |            | Not Recommended        | Winter flounder; blackback flounder   | <i>Pseudopleuronectes americanus</i>                    |  | Wild                                  | Bottom trawl; Bottom gillnet          | Atlantic US (Georges Bank and Southern New England)                                |
|           |            | Not Recommended        | Witch flounder                        | <i>Glyptocephalus cynoglossus</i>                       |  | Wild                                  | Bottom trawl                          | Atlantic US - New England, Mid Atlantic  |
|           |            | Not Recommended        | Winter flounder; blackback flounder   | <i>Pseudopleuronectes americanus</i>                    |  | Wild                                  | Bottom trawl                          | Atlantic Canada  |
|           |            | Not Recommended        | Yellowtail flounder                   | <i>Limanda ferruginea</i>                               |  | Wild                                  | Bottom trawl; Bottom gillnet          | Atlantic US - Georges Bank, New England, Cape Cod, Gulf of Maine, Mid Atlantic     |
|           | MSC        | Ocean Wise             | Arrowtooth flounder                   | <i>Atheresthes stomias</i>                              | Alaska Flatfish - Bering Sea and Aleutian Islands                      | Wild                                  | Bottom trawl                          | Bering Sea and Aleutian Islands  |
|           | MSC        | Ocean Wise             | Alaska Plaice                         | <i>Pleuronectes quadrituberculatus</i>                  | Alaska Flatfish - Bering Sea and Aleutian Islands                      | Wild                                  | Bottom trawl                          | Bering Sea and Aleutian Islands  |
|           | MSC        | Ocean Wise             | Flathead sole                         | <i>Hippoglossoides elassodon</i>                        | Alaska Flatfish - Bering Sea and Aleutian Islands                      | Wild                                  | Bottom trawl                          | Bering Sea and Aleutian Islands  |
|           | MSC        | Ocean Wise             | Kamchatka flounder                    | <i>Atheresthes evermanni</i>                            | Alaska Flatfish - Bering Sea and Aleutian Islands                      | Wild                                  | Bottom trawl                          | Bering Sea and Aleutian Islands  |
|           | MSC        | Ocean Wise             | Northern rock sole                    | <i>Lepidopsetta polyxystra</i>                          | Alaska Flatfish - Bering Sea and Aleutian Islands                      | Wild                                  | Bottom trawl                          | Bering Sea and Aleutian Islands  |
|           | MSC        | Ocean Wise             | Yellowfin sole                        | <i>Limanda aspera</i>                                   | Alaska Flatfish - Bering Sea and Aleutian Islands                      | Wild                                  | Bottom trawl                          | Bering Sea and Aleutian Islands  |
|           | MSC        | Ocean Wise             | Arrowtooth flounder                   | <i>Atheresthes stomias</i>                              | Alaska Flatfish - Gulf of Alaska                                       | Wild                                  | Bottom trawl                          | Gulf of Alaska   |
|           | MSC        | Ocean Wise             | Flathead sole                         | <i>Hippoglossoides elassodon</i>                        | Alaska Flatfish - Gulf of Alaska                                       | Wild                                  | Bottom trawl                          | Gulf of Alaska   |
|           | MSC        | Ocean Wise             | Northern rock sole                    | <i>Lepidopsetta polyxystra</i>                          | Alaska Flatfish - Gulf of Alaska                                       | Wild                                  | Bottom trawl                          | Gulf of Alaska   |
|           | MSC        | Ocean Wise             | Rex sole                              | <i>Glyptocephalus zachirus</i>                          | Alaska Flatfish - Gulf of Alaska                                       | Wild                                  | Bottom trawl                          | Gulf of Alaska   |
|           | MSC        | Ocean Wise             | Southern Rock sole                    | <i>Lepidopsetta bilineata</i>                           | Alaska Flatfish - Gulf of Alaska                                       | Wild                                  | Bottom trawl                          | Gulf of Alaska   |
|           | MSC        | Ocean Wise             | Arrowtooth flounder                   | <i>Atheresthes stomias</i>                              | US West Coast limited entry groundfish trawl                           | Wild                                  | Bottom trawl, Midwater trawl, Various | Washington, Oregon, California   |
|           | MSC        | Ocean Wise             | Chilipepper rockfish                  | <i>Sebastes goodei</i>                                  | US West Coast limited entry groundfish trawl                           | Wild                                  | Bottom trawl, Midwater trawl, Various | Washington, Oregon, California   |
|           | MSC        | Ocean Wise             | Daover sole                           | <i>Microstomus pacificus</i>                            | US West Coast limited entry groundfish trawl                           | Wild                                  | Bottom trawl, Midwater trawl, Various | Washington, Oregon, California   |
|           | MSC        | Ocean Wise             | English sole                          | <i>Parophrys vetulus</i>                                | US West Coast limited entry groundfish trawl                           | Wild                                  | Bottom trawl, Midwater trawl, Various | Washington, Oregon, California   |
|           | MSC        | Ocean Wise             | Lingcod                               | <i>Ophiodon elongatus</i>                               | US West Coast limited entry groundfish trawl                           | Wild                                  | Bottom trawl, Midwater trawl, Various | Washington, Oregon, California   |
|           | MSC        | Ocean Wise             | Longnose Skates                       | <i>Raja rhina</i>                                       | US West Coast limited entry groundfish trawl                           | Wild                                  | Bottom trawl, Midwater trawl, Various | Washington, Oregon, California   |
|           | MSC        | Ocean Wise             | Longspine Thornyheads                 | <i>Sebastolobus altivelis</i>                           | US West Coast limited entry groundfish trawl                           | Wild                                  | Bottom trawl, Midwater trawl, Various | Washington, Oregon, California   |
| MSC       | Ocean Wise | Petrale sole           | <i>Eopsetta jordani</i>               | US West Coast limited entry groundfish trawl            | Wild   | Bottom trawl, Midwater trawl, Various | Washington, Oregon, California        |  |
| MSC       | Ocean Wise | Sablefish              | <i>Anoplopoma fimbria</i>             | US West Coast limited entry groundfish trawl            | Wild   | Bottom trawl, Midwater trawl, Various | Washington, Oregon, California        |  |
| MSC       | Ocean Wise | Shortspine thornyheads | <i>Sebastolobus alascanus</i>         | US West Coast limited entry groundfish trawl            | Wild   | Bottom trawl, Midwater trawl, Various | Washington, Oregon, California        |  |
| MSC       | Ocean Wise | Splitnose rockfish     | <i>Sebastes diploproa</i>             | US West Coast limited entry groundfish trawl            | Wild   | Bottom trawl, Midwater trawl, Various | Washington, Oregon, California        |  |
| MSC       | Ocean Wise | Widow rockfish         | <i>Sebastes entomelas</i>             | US West Coast limited entry groundfish trawl            | Wild   | Bottom trawl, Midwater trawl, Various | Washington, Oregon, California        |  |
| MSC       | Ocean Wise | Yellowtail rockfish    | <i>Sebastes flavidus</i>              | US West Coast limited entry groundfish trawl            | Wild   | Bottom trawl, Midwater trawl, Various | Washington, Oregon, California        |  |
| MSC       | Ocean Wise | Flathead flounder      | <i>Hippoglossoides dubius</i>         | Kyoto Danish Seine Fishery Federation flathead flounder | Wild   | Danish seine                          | Sea of Japan                          |  |
| MSC       | Ocean Wise | Yellowtail flounder    | <i>Limanda ferruginea</i>             | OCI Grand Bank Yellowtail flounder trawl                | Wild   | Bottom trawl                          | Grand Banks                           |  |
| Greenling |            | Not Recommended        | Kelp greenling                        | <i>Hexagrammosdecagrammus</i>                           |  | Wild                                  | Handline                              | Oregon, Washington, California   |
| Grenadier |            | Ocean Wise             | Giant grenadier                       | <i>Albatrossia pectoralis</i>                           |  | Wild                                  | Bottom trawl                          | Oregon, Washington, California   |
|           |            | Ocean Wise             | Pacific grenadier                     | <i>Coryphaenoides acrolepis</i>                         |  | Wild                                  | Bottom trawl                          | California   |

|         |                 |                    |   |  |  |                           |   |   |
|---------|-----------------|--------------------|---|--|--|---------------------------|---|---|
| Grouper | MSC             | Ocean Wise         | Blue Grenadier                          | <i>Macruronus novaezelandiae</i>                 | Australia blue grenadier   | Wild                      | Bottom trawl, Midwater trawl  | Southern Ocean, around Tasmania within EEZ of Australia   |
|         |                 | Ocean Wise         | Black grouper                           | <i>Mycteroperca bonaci</i>                       |  | Wild                      | Handline  | S. Atlantic, Gulf of Mexico   |
|         |                 | Ocean Wise         | Hawaiian grouper                        | <i>Epinephelus quernus</i>                       |  | Wild                      | Handline  | Hawaii  |
|         |                 | Not Recommended    | Black grouper                           | <i>Mycteroperca bonaci</i>                       |  | Wild                      | Bottom longline   | Gulf of Mexico  |
|         |                 | Not Recommended    | Black grouper                           | <i>Mycteroperca bonaci</i>                       |  | Wild                      | Bottom longline   | Mexico  |
|         |                 | Not Recommended    | Gag grouper                             | <i>Mycteroperca microlepis</i>                   |  | Wild                      | Bottom longline, Handline   | S. Atlantic, Gulf of Mexico   |
|         |                 | Not Recommended    | Red grouper                             | <i>Epinephelus morio</i>                         |  | Wild                      | Bottom longline, Handline   | S. Atlantic, Gulf of Mexico   |
|         |                 | Not Recommended    | Red grouper                             | <i>Epinephelus morio</i>                         |  | Wild                      | Bottom longline, Handline   | Mexico  |
|         |                 | Not Recommended    | Snowy grouper                           | <i>Epinephelus niveatus</i>                      |  | Wild                      | Bottom longline, Handline   | S. Atlantic, Gulf of Mexico   |
|         |                 | Not Recommended    | Warsaw grouper                          | <i>Epinephelus nigritus</i>                      |  | Wild                      | Bottom longline, Handline   | S. Atlantic, Gulf of Mexico   |
|         | Not Recommended | Yellowedge grouper | <i>Epinephelus flavolimbatus</i>        |  | Wild   | Bottom longline, Handline | S. Atlantic, Gulf of Mexico   |   |
| Haddock |                 | Ocean Wise         | Haddock                                 | <i>Melanogrammus aeglefinus</i>                  |  | Wild                      | Handline, Bottom longline   | US - Georges Bank   |
|         |                 | Not Recommended    | Haddock                                 | <i>Melanogrammus aeglefinus</i>                  |  | Wild                      | Bottom longline   | Canada Atlantic; Scotia Fundy   |
|         |                 | Not Recommended    | Haddock                                 | <i>Melanogrammus aeglefinus</i>                  |  | Wild                      | Bottom trawl  | Canada  |
|         |                 | Not Recommended    | Haddock                                 | <i>Melanogrammus aeglefinus</i>                  |  | Wild                      | Handline  | US - Gulf of Maine  |
|         |                 | Not Recommended    | Haddock                                 | <i>Melanogrammus aeglefinus</i>                  |  | Wild                      | Bottom trawl, Bottom longline   | US - Gulf of Maine  |
|         |                 | Not Recommended    | Haddock                                 | <i>Melanogrammus aeglefinus</i>                  |  | Wild                      | Bottom trawl  | US - Georges Bank   |
|         | MSC             | Not Recommended    | Arctic haddock                          | <i>Melanogrammus aeglefinus</i>                  | Norway North East Arctic haddock   | Wild                      | Bottom trawl, Bottom longline, Gillnet, Danish seine, Handline          | ICES Sub-areas I and II   |
|         | MSC             | Ocean Wise         | Atlantic haddock                        | <i>Melanogrammus aeglefinus</i>                  | Canada Scotia-Fundy haddock  | Wild                      | Bottom trawl, Bottom longline, Handline, Gillnet                        | Scotian shelf 4X5Y and 5Zjm   |
|         | MSC             | Not Recommended    | Atlantic haddock                        | <i>Melanogrammus aeglefinus</i>                  | Arkhangel'sk Trawl Fleet Barents Sea cod & haddock                           | Wild                      | Bottom trawl  | Barents and Norwegian Seas  |
|         | MSC             | Not Recommended    | Atlantic haddock                        | <i>Melanogrammus aeglefinus</i>                  | Scottish Fisheries Sustainable Accreditation Group (SFSAG) North Sea haddock | Wild                      | Danish seine, Bottom trawl  | North Sea, ICES Sub Area IVa,b  |
|         | MSC             | Not Recommended    | Atlantic haddock                        | <i>Melanogrammus aeglefinus</i>                  | DFPO Denmark North Sea & Skagerrak haddock                                   | Wild                      | Bottom trawl, Danish seine, Gillnet, Bottom longline                    | North Sea & Skagerrak   |
|         | MSC             | Ocean Wise         | Arctic haddock                          | <i>Melanogrammus aeglefinus</i>                  | Faroe Island North East Arctic haddock                                       | Wild                      | Bottom trawl  | ICES areas I and II within Norwegian and Russian EEZ and International waters                                   |
|         | MSC             | Not Recommended    | Atlantic haddock                        | <i>Melanogrammus aeglefinus</i>                  | UK Fisheries/DFPU/Doggerbank Northeast Arctic cod, haddock and saithe        | Wild                      | Bottom trawl  | North East Arctic - ICES Sub Areas I and II   |
|         | MSC             | Ocean Wise         | Icelandic haddock                       | <i>Melanogrammus aeglefinus</i>                  | ISF Iceland haddock  | Wild                      | Bottom trawl, Midwater trawl, longline, Danish seine, Handline, Gillnet | Icelandic EEZ   |
|         | MSC             | Ocean Wise         | North East Arctic haddock               | <i>Melanogrammus aeglefinus</i>                  | Greenland cod, haddock and saithe trawl                                      | Wild                      | Bottom trawl  | ICES Areas I and II: within Norwegian and Russian EEZ and International waters                                  |
|         | MSC             | Ocean Wise         | Atlantic haddock                        | <i>Melanogrammus aeglefinus</i>                  | Russian Federation Barents sea cod and haddock                               | Wild                      | Bottom trawl  | Norwegian EEZ and Svalbard FPZ  |
|         | MSC             | Ocean Wise         | Atlantic haddock                        | <i>Melanogrammus aeglefinus</i>                  | US Acadian redfish, haddock and pollock Otter Trawl                          | Wild                      | Bottom trawl  | US FAO Fishing Area 21 in Division 21.4X and Division 21.5t   |
|         | MSC             | Ocean Wise         | Atlantic haddock                        | <i>Melanogrammus aeglefinus</i>                  | Barents Sea cod and Barents sea haddock                                      | Wild                      | Bottom trawl  | Barents Sea - ICES Areas I and II. Within Norwegian and Russian EEZ and International Waters                    |
|         | MSC             | Not Recommended    | Atlantic haddock                        | <i>Melanogrammus aeglefinus</i>                  | Comapêche and Euronor cod and haddock  | Wild                      | Bottom trawl  | North East Arctic - ICES Sub Areas I and II   |
|         | Hake            |                    | Ocean Wise                              | Offshore hake                                    | <i>Merluccius albidus</i>  |                           | Wild  | Bottom trawl  |
|         |                 | Ocean Wise         | Red hake                                | <i>Urophycis chuss</i>                           |  | Wild                      | Bottom trawl  | US Atlantic   |
|         |                 | Ocean Wise         | Silver hake                             | <i>Merluccius bilinearis</i>                     |  | Wild                      | Bottom trawl  | US Atlantic   |
|         |                 | Not Recommended    | White hake                              | <i>Urophycis tenuis</i>                          |  | Wild                      | Bottom trawl, Bottom gillnet, Bottom longline                           | US North Atlantic   |
|         |                 | Not Recommended    | White hake                              | <i>Urophycis tenuis</i>                          |  | Wild                      | Bottom trawl, Bottom gillnet, Bottom longline                           | Canada: Maritimes, Newfoundland, Labrador   |
| MSC     |                 | Ocean Wise         | North Pacific Hake                      | <i>Merluccius productus</i>                      | Pacific hake mid-water trawl   | Wild                      | Midwater trawl  | Washington, Oregon, California, British Columbia  |
| MSC     |                 | Not Recommended    | Hake                                    | <i>Merluccius merluccius</i>                     | DFPO Denmark North Sea, Skagerrak & Kattegat hake                            | Wild                      | Bottom trawl, Danish seine, Gillnet, Bottom longline                    | North Sea, Skagerrak & Kattegat   |
| MSC     |                 | Not Recommended    | Hake                                    | <i>Merluccius merluccius</i>                     | Grupo Regal Spain hake longline  | Wild                      | Longline  | CES sub-areas VI, VII and Divisions VIII a, b, d, e   |
| MSC     |                 | Not Recommended    | South African hake                      | <i>Merluccius paradoxus, Merluccius capensis</i> | South Africa hake trawl  | Wild                      | Bottom trawl  | South Atlantic Ocean  |
| Halibut |                 |                    | Ocean Wise                              | Pacific halibut                                  | <i>Hippoglossus stenolepis</i>   |                           | Wild  | Bottom longline; Handline   |
|         |                 | Ocean Wise         | Atlantic halibut                        | <i>Hippoglossus hippoglossus</i>                 |  | Farmed                    | Recirculating aquaculture system (RAS)                                  | Worldwide   |
|         |                 | Not Recommended    | Atlantic halibut                        | <i>Hippoglossus hippoglossus</i>                 |  | Wild                      | Bottom trawl  | US Atlantic - New England   |
|         | MSC             | Ocean Wise         | Atlantic halibut                        | <i>Hippoglossus hippoglossus</i>                 | Canada Atlantic halibut  | Wild                      | Longline, Gillnet, Bottom trawl   | Nova Scotia and Newfoundland including part of the Grand banks and Georges bank, NAFO areas 3NOPS, 4VWZ and 5Zc |
| Herring |                 | Ocean Wise         | Atlantic herring ("sardines", pilchard) | <i>Clupea harengus</i>                           |  | Wild                      | Midwater trawl, Purse seine   | US N. Atlantic  |
|         |                 | Ocean Wise         | Pacific herring                         | <i>Clupea pallasii</i>                           |  | Wild                      | Purse seine, Gillnet  | British Columbia  |
|         |                 | Ocean Wise         | Pacific herring                         | <i>Clupea pallasii</i>                           |  | Wild                      | Bottom gillnet  | California  |
|         | MSC             | Ocean Wise         | Herring                                 | <i>Clupea harengus</i>                           | Gulf of St Lawrence Fall herring gillnet                                     | Wild                      | Gillnet   | Southern Gulf of St. Lawrence, Herring Fishing Area 16f   |
|         | MSC             | Ocean Wise         | Herring                                 | <i>Clupea harengus</i>                           | Danish Pelagic Producers Organization Atlanto Scandian herring               | Wild                      | Purse seine, Midwater trawl   | North-East Atlantic (ICES divisions I, IIa and IIb, V, XIV).  |
|         | MSC             | Ocean Wise         | Herring                                 | <i>Clupea harengus</i>                           | Faroe Pelagic Organization (FPO) Atlanto-Scandian herring                    | Wild                      | Purse seine, Midwater trawl   | North-East Atlantic in FAO 27, ICES division areas I, IIa, IIb, V & XIV   |
|         | MSC             | Ocean Wise         | Herring                                 | <i>Clupea harengus</i>                           | Hastings fleet pelagic herring   | Wild                      | Gillnet   | Eastern English Channel   |
|         | MSC             | Ocean Wise         | Herring                                 | <i>Clupea harengus</i>                           | Norway North Sea and Skagerrak herring                                       | Wild                      | Midwater trawl, Purse seine   | North Sea and Skagerrak   |
|         | MSC             | Ocean Wise         | Herring                                 | <i>Clupea harengus</i>                           | Norway spring spawning herring   | Wild                      | Midwater trawl, Purse seine   | EEZ's of Norway, Russia, Iceland, EU and Faroe Islands  |
|         | MSC             | Ocean Wise         | Herring                                 | <i>Clupea harengus</i>                           | Pelagic Freezer-Trawler Association North Sea herring                        | Wild                      | Midwater trawl  | The North Sea and Eastern English Channel   |
|         | MSC             | Ocean Wise         | Herring                                 | <i>Clupea harengus</i>                           | Samherji Norwegian & Icelandic herring trawl and seine                       | Wild                      | Midwater trawl, Purse seine   | Icelandic EEZ   |
|         | MSC             | Ocean Wise         | Herring                                 | <i>Clupea harengus</i>                           | Scottish Pelagic Sustainability Group Ltd Atlanto Scandian herring           | Wild                      | Midwater trawl  | EEZ of Norway and Faroe   |
|         | MSC             | Ocean Wise         | Herring                                 | <i>Clupea harengus</i>                           | Scottish Pelagic Sustainability Group Ltd North Sea herring                  | Wild                      | Midwater trawl  | Central and north North Sea   |
|         | MSC             | Ocean Wise         | Herring                                 | <i>Clupea harengus</i>                           | SPSG West of Scotland herring Pelagic Trawl                                  | Wild                      | Midwater trawl  | Within EU waters - ICES Areas VIa North, VIb, Vb  |
|         | MSC             | Ocean Wise         | Herring                                 | <i>Clupea harengus</i>                           | CSHMAC Celtic Sea herring  | Wild                      | Midwater trawl  | North East Atlantic (Celtic Sea)  |
|         | MSC             | Ocean Wise         | Herring                                 | <i>Clupea harengus</i>                           | Northern Ireland Pelagic Sustainability Group (NIPSG) Irish Sea herring      | Wild                      | Midwater trawl  | North East Atlantic   |

|          |                 |                      |  |  |  |       |   |   |
|----------|-----------------|----------------------|--|--|--|-------|---|---|
|          | MSC             | Ocean Wise           | Herring                                    | <i>Clupea harengus</i>   | NAFO Division 4R Atlantic herring purse seine  | Wild  | Purse seine   | NAFO Division 4R, in Herring Fishing Areas (FA) 13 and 14   |
|          | MSC             | Ocean Wise           | Herring                                    | <i>Clupea harengus</i>   | Northern Ireland Pelagic Sustainability Group(NIPSG) Irish Sea-Atlantic mackerel & North Sea herring | Wild  | Midwater trawl  | North East Atlantic   |
|          | MSC             | Not Recommended      | Herring                                    | <i>Clupea harengus</i>   | Canadian 4VWX Purse Seine herring fishery  | Wild  | Purse seine   | Bay of Fundy Stock: NAFO Division 4VWX Herring  |
|          | MSC             | Not Recommended      | Herring                                    | <i>Clupea harengus</i>   | DPPO and DFPO North Sea herring  | Wild  | Purse seine, Midwater trawl   | ICES divisions IV a, b, c, and VII d.   |
|          | MSC             | Not Recommended      | Herring                                    | <i>Clupea harengus</i>   | FROM Nord North Sea and Eastern Channel pelagic trawl herring  | Wild  | Midwater trawl  | FAO statistical area 27, Subarea IV and Divisions IIIa and VIId   |
|          | MSC             | Not Recommended      | Herring                                    | <i>Clupea harengus</i>   | DFPO, DPPO and SPFPO Skagerrak, Kattegat and Western Baltic herring                                  | Wild  | Midwater trawl; Purse seine; Trap net; Gillnet                                | Skagerrak, Kattegat and Western Baltic  |
|          | MSC             | Not Recommended      | Thread herring                             | <i>Opisthonema spp. O. Libertate, O. medistrare and O. bulleri</i> | Southern Gulf of California thread herring   | Wild  | Purse seine   | Gulf of California, Mexico (Pacific Ocean)  |
| Hogfish  |                 | Ocean Wise           | Hogfish                                    | <i>Lachnolaimus maximus</i>  |  | Wild  | Hand implements, Handlines, Hand operated pole and line                       | Florida Gulf of Mexico  |
|          |                 | Ocean Wise           | Hogfish                                    | <i>Lachnolaimus maximus</i>  |  | Wild  | Hand implements   | South Carolina  |
|          |                 | Not Recommended      | Hogfish                                    | <i>Lachnolaimus maximus</i>  |  | Wild  | Hand implements   | North Carolina, Puerto Rico, Florida (Western Central Atlantic)   |
|          |                 | Not Recommended      | Hogfish                                    | <i>Lachnolaimus maximus</i>  |  | Wild  | Handlines and hand operated pole and lines                                    | North Carolina, South Carolina, Florida (Western Central Atlantic)  |
| Hoki     | MSC             | Ocean Wise           | Hoki                                       | <i>Macruronus novaezelandiae</i>                                   | New Zealand hoki   | Wild  | Midwater trawl, Bottom trawl  | New Zealand   |
|          | MSC             | Not Recommended      | Hoki                                       | <i>Macruronus magellanicus</i>                                     | Argentine hoki   | Wild  | Bottom trawl, Midwater trawl  | Argentina   |
| Icefish  | MSC             | Ocean Wise           | Australia mackerel icefish                 | <i>Champscephalus gunnari</i>                                      | Australia mackerel icefish   | Wild  | Bottom trawl, Midwater trawl  | Heard Island and McDonald Islands   |
|          | MSC             | Ocean Wise           | Icefish                                    | <i>Champscephalus gunnari</i>                                      | South Georgia icefish pelagic trawl  | Wild  | Pelagic trawl   | South Georgia   |
| Kelp     |                 | Ocean Wise           | Giant Kelp                                 | <i>Macrocystis pyrifera</i>  |  | Wild  | Hand harvest  | British Columbia  |
|          |                 | Ocean Wise           | Bull Kelp                                  | <i>Nereocystis leutkeana</i>                                       |  | Wild  | Hand harvest  | British Columbia  |
| Krill    |                 | Ocean Wise           | Pacific Krill                              | <i>Euphausia pacifica</i>  |  | Wild  | Midwater trawl  | British Columbia  |
|          |                 | Ocean Wise           | Antarctic krill                            | <i>Euphausia superba</i>   |  | Wild  | Midwater trawl  | Southern Ocean  |
|          | MSC             | Ocean Wise           | Antarctic krill                            | <i>Euphausia superba</i>   | Aker Biomarine Antarctic krill   | Wild  | Midwater trawl  | Atlantic sector of the Southern Ocean   |
|          | MSC             | Ocean Wise           | Antarctic krill                            | <i>Euphausia superba</i>   | Olympic Seafood Antarctic krill  | Wild  | Midwater trawl  | Antarctic Sea / Southern Ocean - FAO statistical area/s 48 - Southern Ocean, CCAMLR area 48.1, 48.2, 48.3, 48.4 |
| Limpet   | MSC             | Ocean Wise           | Atlantic Slipper Limpet                    | <i>Crepidula fornicata</i>   | Cancale Bay Atlantic slipper limpet dredge   | Wild  | Dredge  | Bay of Cancale, ICES area VIIe. FAO statistical area 27   |
| Ling     | MSC             | Ocean Wise           | Ling                                       | <i>Molva molva</i>   | ISF Iceland Saithe Fishery: Expedited Assessment of the ISF Iceland Ling                             | Wild  | Bottom trawl, Danish seine, Longline, Handline, Gillnet, Various              | Icelandic EEZ   |
|          | MSC             | Ocean Wise           | Ling                                       | <i>Molva molva</i>   | ISF Icelandic golden redfish, blue ling, and tusk  | Wild  | Trawl, Seine, longline, handline, gillnet                                     | Icelandic EEZ   |
|          | MSC             | Not Recommended      | Ling                                       | <i>Genypterus blacodes</i>   | New Zealand EEZ ling trawl and longline fishery  | Wild  | Bottom trawl, Bottom longline   | New Zealand EEZ -Management areas: LIN3, LIN4, LIN5, LIN6, LIN 7  |
| Lingcod  |                 | Ocean Wise           | Lingcod (Buffalo cod, blue cod, white cod) | <i>Ophiodon elongatus</i>  |  | Wild  | Bottom trawl, Bottom longline, Handline                                       | Washington, Oregon, California  |
|          |                 | Ocean Wise           | Lingcod (Buffalo cod, blue cod, white cod) | <i>Ophiodon elongatus</i>  |  | Wild  | Bottom longline, Jig, Troll, Midwater trawl                                   | British Columbia  |
|          |                 | Not Recommended      | Lingcod (Buffalo cod, blue cod, white cod) | <i>Ophiodon elongatus</i>  |  | Wild  | Bottom trawl  | British Columbia  |
|          | MSC             | Ocean Wise           | Lingcod                                    | <i>Ophiodon elongatus</i>  | US West Coast limited entry groundfish trawl   | Wild  | Bottom trawl, Midwater trawl, Various   | Washington, Oregon, California  |
| Lionfish |                 | Ocean Wise           | Lionfish                                   | <i>Pterois volitans, Pterois miles</i>                             |  | Wild  | Spear, Trap   | US Atlantic & Gulf of Mexico  |
| Lobster  |                 | Ocean Wise           | California spiny lobster                   | <i>Panulirus interruptus</i>                                       |  | Wild  | Trap  | Baja California   |
|          |                 | Ocean Wise           | Caribbean spiny lobster                    | <i>Panulirus interruptus</i>                                       |  | Wild  | Casitas, Trap   | Bahamas   |
|          |                 | Ocean Wise           | Caribbean spiny lobster                    | <i>Panulirus argus</i>   |  | Wild  | Trap  | Florida   |
|          |                 | Ocean Wise           | Caribbean, California Spiny Lobster        | <i>Panulirus argus, P. interruptus</i>                             |  | Wild  | Casitas, Diver, Trap  | Mexico  |
|          |                 | Ocean Wise           | Norway lobster                             | <i>Nephrops norvegicus</i>   |  | Wild  | Trap  | Kattegat Bay, Norway  |
|          |                 | Not Recommended      | American lobster                           | <i>Homarus americanus</i>  |  | Wild  | Trap  | US Gulf of Maine, US Georges Banks, Southern New England  |
|          |                 | Not Recommended      | Caribbean Spiny Lobster                    | <i>Panulirus argus</i>   |  | Wild  | Trap  | Belize, Brazil, Honduras, Nicaragua   |
|          |                 | Not Recommended      | Norway lobster                             | <i>Nephrops norvegicus</i>   |  | Wild  | Bottom trawl, Trap  | Northeast Atlantic Ocean (except Mediterranean Sea)   |
|          |                 | Under Review         | American lobster                           | <i>Homarus americanus</i>  |  | Wild  | Trap  | Canada  |
|          | MSC             | Ocean Wise           | American lobster                           | <i>Homarus americanus</i>  | Eastern Canada offshore lobster  | Wild  | Trap  | Canada - Lobster Fishing Area 41  |
|          | MSC             | Ocean Wise           | American lobster                           | <i>Homarus americanus</i>  | Gaspésie lobster trap  | Wild  | Trap  | Canada - LFAs 19, 20 and 21   |
|          | MSC             | Ocean Wise           | European lobster                           | <i>Homarus gammarus</i>  | Normandy and Jersey lobster  | Wild  | Trap  | North and West Cotentin (Basse Normandie, France), Jersey and Granville Bay.                                    |
|          | MSC             | Ocean Wise           | Rock lobster                               | <i>Jasus tristani</i>  | Tristan da Cunha rock lobster  | Wild  | Trap  | Tristan da Cunha islands  |
|          | MSC             | Ocean Wise           | Spiny lobster                              | <i>Panulirus argus</i>   | Sian Ka'an and Banco Chinchorro Biosphere Reserves spiny lobster                                     | Wild  | Diver, Casitas, Hand harvest  | Mexico  |
|          | MSC             | Ocean Wise           | American lobster                           | <i>Homarus americanus</i>  | Bay of Fundy, Scotian Shelf and Southern Gulf of St. Lawrence lobster trap                           | Wild  | Trap  | UoC1 - Southern Gulf of St Lawrence, LFAs 23, 25, 26A and 26B   |
|          | MSC             | Not Recommended      | American lobster                           | <i>Homarus americanus</i>  | Iles-de-la-Madeleine Lobster trap  | Wild  | Trap  | Magdalen Islands LFA 22   |
|          | MSC             | Not Recommended      | American lobster                           | <i>Homarus americanus</i>  | Prince Edward Island lobster trap  | Wild  | Trap  | Prince Edward Island, LFAs 24, 25, and 26A  |
|          | MSC             | Not Recommended      | American lobster                           | <i>Homarus americanus</i>  | Bay of Fundy, Scotian Shelf and Southern Gulf of St. Lawrence lobster trap                           | Wild  | Trap  | UoC2 - Scotian Shelf, LFAs 27-33, UoC3 - Scotian Shelf, LFAs 34, UoC4 - Bay of Fundy, LFAs 35-38                |
|          | MSC             | Not Recommended      | Rock lobster                               | <i>Panulirus cyanus</i>  | Australian Western rock lobster  | Wild  | Trap  | Western Australia   |
|          | MSC             | Not Recommended      | Red Rock Lobster                           | <i>Panulirus interruptus</i>                                       | Gulf of Maine lobster fishery  | Wild  | Trap  | FAO Fishing Area 21 Northwest Atlantic, LCMA 1  |
| MSC      | Not Recommended | Rock lobster         | <i>Jasus frontalis</i>                     | Juan Fernandez Rock lobster  | Wild   | Trap  | Chile - Robinson Crusoe and Sta Clara, Alejandro Selkirk, Islas Desventuradas |   |
| MSC      | Not Recommended | Yellow Squat Lobster | <i>Cervimunida johni</i>                   | Chile squat lobsters and nylon shrimp modified trawl fishery       | Wild   | Trawl | FAO statistical area 87, South East Pacific                                   |   |
| MSC      | Not Recommended | Red Squat Lobster    | <i>Pleuroncodes monodon</i>                | Chile squat lobsters and nylon shrimp modified trawl fishery       | Wild   | Trawl | FAO statistical area 87, South East Pacific                                   |   |
| MSC      | Not Recommended | Yellow Squat Lobster | <i>Cervimunida johni</i>                   | Chile squat lobsters demersal trawl Camanchaca Fishery             | Wild   | Trawl | Chile   |   |
| MSC      | Not Recommended | Red Squat Lobster    | <i>Pleuroncodes monodon</i>                | Chile squat lobsters demersal trawl Camanchaca Fishery             | Wild   | Trawl | Chile   |   |

|           |                         |                 |                                 |  |  |   |  |   |
|-----------|-------------------------|-----------------|---------------------------------|--|--|---|--|---|
|           | MSC                     | Not Recommended | Nephrops                        | <i>Nephrops norvegicus</i>   | Danish and Swedish nephrops  | Wild  | Bottom trawl   | Denmark   |
| Lumpfish  | MSC                     | Ocean Wise      | Lumpfish                        | <i>Cyclopterus lumpus</i>  | Greenland lumpfish   | Wild  | Gillnet  | Greenland - North-west Atlantic   |
|           | MSC                     | Not Recommended | Lumpfish                        | <i>Cyclopterus lumpus</i>  | NFA Norwegian Ling and Tusk and Norwegian NFA lumpfish   | Wild  | Gillnet  | Norway  |
| Mackerel  |                         | Ocean Wise      | Atka mackerel                   | <i>Pleurogrammus monopterygius</i>                                     |  | Wild  | Bottom trawl   | Alaska  |
|           |                         | Ocean Wise      | Atlantic mackerel               | <i>Scomber scombrus</i>  |  | Wild  | Purse seine  | US  |
|           |                         | Ocean Wise      | Atlantic mackerel               | <i>Scomber scombrus</i>  |  | Wild  | Purse seine  | Canada  |
|           |                         | Ocean Wise      | King mackerel, Spanish mackerel | <i>Scomberomorus cavalla</i> , <i>S. maculatus</i>                     |  | Wild  | Handline, Gillnet  | Gulf of Mexico, US South Atlantic   |
|           |                         | Ocean Wise      | Atlantic mackerel               | <i>Scomber scombrus</i>  |  | Wild  | Midwater trawl   | US Atlantic   |
|           | MSC                     | Ocean Wise      | North East Atlantic mackerel    | <i>Scomber scombrus</i>  | MINSAs North East Atlantic mackerel  | Wild  | Midwater trawl, Purse Seine, Handline, Various                 | North East Atlantic, Europe & Norway  |
|           | MSC                     | Ocean Wise      | Mackerel scad                   | <i>Scomber scombrus</i>  | Faroese Pelagic Organisation (FPO) North East Atlantic mackerel                                      | Wild  | Purse seine, Midwater trawl                                    | North east Atlantic. FAO statistical area 27  |
| Mahi Mahi | MSC                     | Ocean Wise      | Mackerel                        | <i>Scomber scombrus</i>  | Northern Ireland Pelagic Sustainability Group(NIPSG) Irish Sea-Atlantic mackerel & North Sea herring | Wild  | Midwater trawl   | North East Atlantic ICES Areas VI, VII, IVa.  |
|           |                         | Ocean Wise      | Mahi mahi (dolphinfish)         | <i>Coryphaena hippurus</i>   |  | Wild  | Troll, Pole, Handline  | US Atlantic   |
|           |                         | Ocean Wise      | Mahi mahi (dolphinfish)         | <i>Coryphaena hippurus</i>   |  | Wild  | Pelagic longline   | US Atlantic, US Gulf of Mexico  |
|           |                         | Ocean Wise      | Mahi mahi (dolphinfish)         | <i>Coryphaena hippurus</i>   |  | Wild  | Pelagic longline   | Ecuador   |
|           |                         | Not Recommended | Mahi mahi (dolphinfish)         | <i>Coryphaena hippurus</i>   |  | Wild  | Troll, Pole  | US Pacific (Hawaii)   |
|           |                         | Not Recommended | Mahi mahi (dolphinfish)         | <i>Coryphaena hippurus</i>   |  | Wild  | Pelagic longline   | Guatemala, Costa Rica, Peru, East Pacific Ocean, North Pacific Ocean, South Pacific Ocean, West Central Pacific Ocean, Indian Ocean, Indonesia, Panama, Taiwan    |
| Marlin    |                         | Not Recommended | Mahi mahi (dolphinfish)         | <i>Coryphaena hippurus</i>   |  | Wild  | FAD purse seine  | North Atlantic, South Atlantic, East Pacific  |
|           |                         | Not Recommended | Mahi mahi (dolphinfish)         | <i>Coryphaena hippurus</i>   |  | Wild  | Unassociated purse seine                                       | East Pacific Ocean  |
|           |                         | Not Recommended | Black marlin                    | <i>Istiompax indica</i>  |  | Wild  | Pelagic longline   | North Pacific, South Pacific, Western Central Pacific   |
| Menhaden  |                         | Not Recommended | Blue marlin                     | <i>Makaira nigricans</i>   |  | Wild  | Pelagic longline   | North Pacific, South Pacific, Western Central Pacific   |
|           |                         | Not Recommended | Striped marlin                  | <i>Tetrapturus audax</i>   |  | Wild  | Pelagic longline   | North Pacific, South Pacific, Western Central Pacific   |
|           |                         | Ocean Wise      | Atlantic menhaden               | <i>Brevoortia tyrannus</i>   |  | Wild  | Purse seine  | US Atlantic   |
| Milkfish  |                         | Ocean Wise      | Gulf menhaden                   | <i>Brevoortia patronus</i>   |  | Wild  | Purse seine  | US Gulf of Mexico   |
|           | Naturland               | Ocean Wise      | Milkfish                        | <i>Chanos chanos</i>   |  | Farmed  | Various  | Worldwide   |
| Monkfish  |                         | Not Recommended | Goosefish, anglerfish           | <i>Lophius americanus</i>  |  | Wild  | Bottom trawl; Bottom gillnet                                   | US Atlantic   |
| Mullet    |                         | Ocean Wise      | Striped mullet                  | <i>Mugil cephalus</i>  |  | Wild  | Seine, Various   | US Atlantic and Gulf of Mexico  |
|           |                         | Not Recommended | Red Mullet                      | <i>Illex argentinus</i>  |  | Wild  | Bottom gillnet, bottom trawl, beam trawl                       | United Kingdom: Cornwall  |
| Mussels   |                         | Ocean Wise      | Blue mussel                     | <i>Mytilus edulis</i>  |  | Farmed  | Off-bottom culture   | Worldwide   |
|           |                         | Ocean Wise      | Blue mussel                     | <i>Mytilus edulis</i>  |  | Wild  | Hand rake, dredge  | Maine, Massachusetts (rake only), New York, Rhode Island  |
|           |                         | Ocean Wise      | Bay mussel                      | <i>Mytilus trossulus</i>   |  | Farmed  | Off-bottom culture   | BC  |
|           |                         | Ocean Wise      | Green mussel                    | <i>Perna canaliculus</i>   |  | Farmed  | Off-bottom culture   | New Zealand (most)  |
|           |                         | Ocean Wise      | Mediterranean mussel            | <i>Mytilus galloprovincialis</i>                                       |  | Farmed  | Off-bottom culture   | Worldwide   |
|           |                         | Ocean Wise      | Mussels (various)               | <i>Mytilus spp.</i> , <i>Perna spp.</i>                                |  | Farmed  | Off-bottom culture, On-bottom culture                          | Worldwide   |
|           |                         | Not Recommended | Blue mussel                     | <i>Mytilus edulis</i>  |  | Wild  | Dredge   | Massachusetts   |
|           | ASC                     | Ocean Wise      | Mussels                         | Multiple Species   |  | Farmed  | Various  | Worldwide   |
|           | Canadian Organic        | Ocean Wise      | Mussels                         | Multiple Species   |  | Farmed  | Various  | Canada  |
|           | Food Alliance Shellfish | Ocean Wise      | Mussels                         | Multiple Species   |  | Farmed  | Various  | Worldwide   |
|           | Naturland               | Ocean Wise      | Mussels                         | Multiple Species   |  | Farmed  | Various  | Worldwide   |
|           | GAA BAP                 | Ocean Wise      | Mussels                         | Multiple Species   |  | Farmed  | Various  | Worldwide   |
|           | MSC                     | Ocean Wise      | Chilean mussel                  | <i>Mytilus chilensis</i>   | Chilean mussel fishery and suspended culture Toralla S.A and Cultivos Toralla S.A                    | Wild  | Off-bottom culture   | South East Pacific  |
|           | MSC                     | Ocean Wise      | Mussels                         | <i>Mytilus spp</i>   | Exmouth mussels  | Wild  | Off-bottom culture   | NW English Channel  |
|           | MSC                     | Ocean Wise      | Mussels                         | <i>Mytilus edulis</i>  | Royal Frysk Jutland blue shell mussel dredge   | Wild  | Dredge   | East coast of Jutland, Denmark  |
|           | MSC                     | Ocean Wise      | Mussels                         | <i>Mytilus edulis</i>  | North Menai Strait mussel  | Wild  | On-bottom culture  | Irish Sea   |
|           | MSC                     | Ocean Wise      | Mussels                         | <i>Mytilus edulis</i>  | DFPO Limfjord mussel and cockle  | Wild  | Dredge   | Denmark's Limfjord, FAO Statistical Area 27   |
|           | MSC                     | Ocean Wise      | Mussels                         | <i>Mytilus edulis</i>  | Netherlands blue shell mussel  | Wild  | Dredge, On-bottom culture                                      | The Waddenzee and Zeeuwse delta of the Dutch coastal region   |
|           | MSC                     | Ocean Wise      | Mussels                         | <i>Mytilus edulis</i>  | Schleswig-Holstein blue shell mussel   | Wild  | Dredge, On-bottom culture                                      | ICES Area IVb – in the German part of the Wadden Sea around Niedersachsen; Schleswig-Holstein and Flensburger Innenförde area. North Sea, FAO statistical area 27 |
|           | MSC                     | Ocean Wise      | Mussels                         | <i>Mytilus edulis</i>  | Limfjord blue shell mussel (rope grown)  | Farmed  | Off-bottom culture   | Limfjorden, Denmark   |
| MSC       | Not Recommended         | Blue mussel     | <i>Mytilus edulis</i>           | DFPO Inner Danish Waters blue shell mussel                             | Wild   | Dredge  | Eastern Inner Danish Waters - ICES IIIa and Baltic Sea area 22 |   |
| MSC       | Not Recommended         | Mussels         | <i>Mytilus edulis</i>           | Ireland Bottom Grown Mussel ( <i>Mytilus edulis</i> ) Fishery          | Wild   | Modified Dutch bottom dredge with limited hand raking | Ireland  |   |
| MSC       | Not Recommended         | Mussels         | <i>Mytilus edulis</i>           | Northern Ireland Bottom Grown Mussel ( <i>Mytilus edulis</i> ) Fishery | Wild   | Dredge, Hand rake                                     | Northern Ireland   |   |
| MSC       | Not Recommended         | Mussels         | <i>Mytilus edulis</i>           | Netherlands suspended culture mussel                                   | Farmed   | Off-bottom culture, On-bottom culture                 | North Sea  |   |
| MSC       | Not Recommended         | Mussels         | <i>Mytilus edulis</i>           | Shetland and Scottish Mainland Rope Grown mussel Enhanced fishery      | Farmed   | Off-bottom culture                                    | Scottish Mainland & Shetland                                   |   |
| MSC       | Not Recommended         | Mussels         | <i>Mytilus edulis</i>           | SSPO Swedish West Coast rope grown mussel                              | Farmed   | Off-bottom culture                                    | Skagerrak & Kattegat   |   |
| Octopus   |                         | Ocean Wise      | Common octopus                  | <i>Octopus vulgaris</i>  |  | Wild  | Pot  | Spain, Portugal   |
|           |                         | Ocean Wise      | Day octopus                     | <i>Octopus cyanea</i>  |  | Wild  | Spear, Handline  | Hawaii  |
|           |                         | Ocean Wise      | Giant Pacific octopus           | <i>Enteroctopus dofleini</i>   |  | Wild  | Trap, Pot  | British Columbia, Alaska  |
|           |                         | Ocean Wise      | Night octopus                   | <i>Octopus ornatus</i>   |  | Wild  | Spear, Handline  | Hawaii  |
|           |                         | Not Recommended | Common octopus                  | <i>Octopus vulgaris</i>  |  | Wild  | Bottom trawl, Trap   | Spain, Portugal, Morocco, Mauritania  |
|           |                         | Not Recommended | Common octopus                  | <i>Octopus vulgaris</i>  |  | Wild  | Handline   | Mexico  |
|           |                         | Not Recommended | Day octopus                     | <i>Octopus cyanea</i>  |  | Wild  | Trap, Spear, Handline  | Indonesia   |
| Opah      |                         | Not Recommended | Red octopus                     | <i>Octopus maya</i>  |  | Wild  | Handline   | Mexico  |
|           | MSC                     | Not Recommended | Common octopus                  | <i>Octopus vulgaris</i>  | Western Asturias Octopus Traps Fishery of Artisanal Cofradías  | Wild  | Traps  | Spain   |
|           | Not Recommended         | Opah            | <i>Lampris guttatus</i>         |  | Wild   | Gillnet   | California   |   |

|               |                         |                      |  |   |  |   |  |   |
|---------------|-------------------------|----------------------|--|---|--|---|--|---|
| Orange Roughy |                         | Not Recommended      | Opah aka Moonfish                        | <i>Lampris guttatus</i>   |  | Wild  | Pelagic longline   | Hawaii, Pacific Ocean (North, South, WCPO)  |
|               |                         | Not Recommended      | aka Slimehead                            | <i>Hoplostethus atlanticus</i>  |  | Wild  | Bottom trawl   | New Zealand   |
|               | MSC                     | Not Recommended      | Orange roughy aka slimehead              | <i>Hoplostethus atlanticus</i>  |  | Wild  | Bottom trawl   | New Zealand   |
| Oysters       |                         | Ocean Wise           | Eastern oyster                           | <i>Crassostrea virginica</i>  |  | Wild  | Dredge, Tong   | US Gulf of Mexico   |
|               |                         | Ocean Wise           | Eastern oyster                           | <i>Crassostrea virginica</i>  |  | Wild  | Tong, Hand rake  | Canada: Gulf of St. Lawrence  |
|               |                         | Ocean Wise           | Oysters - various                        | <i>Crassostrea spp.</i> , <i>Ostrea spp.</i> , <i>Saccostrea spp.</i> |  | Farmed  | Off-bottom culture, On-bottom culture  | Worldwide   |
|               | ASC                     | Ocean Wise           | Oysters                                  | Multiple Species  |  | Farmed  | Various  | Worldwide   |
|               | Canadian Organic        | Ocean Wise           | Oysters                                  | Multiple Species  |  | Farmed  | Various  | Canada  |
|               | Food Alliance Shellfish | Ocean Wise           | Oysters                                  | Multiple Species  |  | Farmed  | Various  | Worldwide   |
|               | MSC                     | Ocean Wise           | European flat oyster                     | <i>Ostrea edulis</i>  | Dutch Oyster Association oyster fishery                          | Wild  | Dredge   | Oosterschelde, Lake Grevelingen   |
|               | MSC                     | Ocean Wise           | Pacific Oyster                           | <i>Crassostrea gigas</i>  | Dutch Oyster Association oyster fishery                          | Wild  | Dredge   | Oosterschelde, Lake Grevelingen   |
|               | MSC                     | Ocean Wise           | Silver lipped pearl oyster               | <i>Pinctada maxima</i>  | Australia silver lipped pearl oyster                             | Wild  | hand gathered  | Western Australia and Northern territories  |
| MSC           | Ocean Wise              | European flat oyster | <i>Ostrea edulis</i>                     | Limfjord oyster dredge fishery  | Wild   | Dredge  | Western Limfjord, Denmark  |   |
| Perch         |                         | Ocean Wise           | Yellow perch                             | <i>Perca flavescens</i>   |  | Wild  | Bottom gillnet, Trap net   | Canada (Lake Erie, Lake Huron, Lake Ontario, Lake Superior) & US (Lake Huron, Lake Michigan, Lake Ontario, Lake Superior) |
|               |                         | Ocean Wise           | Yellow perch                             | <i>Perca flavescens</i>   |  | Wild  | Trap net   | Maryland, US  |
|               |                         | Ocean Wise           | Yellow perch                             | <i>Perca flavescens</i>   |  | Farmed  | Recirculating aquaculture system (RAS)   | Worldwide   |
|               |                         | Not Recommended      | Yellow perch                             | <i>Perca flavescens</i>   |  | Wild  | Midwater gillnet   | Manitoba  |
|               | MSC                     | Not Recommended      | European perch                           | <i>Perca fluviatilis</i>  | Lake peipus perch and pike-perch                                 | Wild  | Various  | Europe Inland Waters  |
|               | MSC                     | Not Recommended      | Common perch                             | <i>Perca fluviatilis</i>  | Irikla Reservoir perch   | Wild  | Gillnet  | Irikla Reservoir, Caspian Sea Basin, Russia   |
| Pike          | MSC                     | Not Recommended      | Perch                                    | <i>Perca fluviatilis</i>  | Bratsk Reservoir perch   | Wild  | Trap net   | Bratsk Reservoir, Angara River, Irkutsk oblast, Russia  |
|               |                         | Not Recommended      | Northern pike                            | <i>Esox lucius</i>  |  | Wild  | Midwater gillnet   | Manitoba  |
|               | MSC                     | Not Recommended      | Northern pike                            | <i>Esox lucius</i>  | Waterhen Lake walleye and Northern pike Commercial Gillnet       | Wild  | Gillnet  | Waterhen Lake, Manitoba   |
|               | MSC                     | Not Recommended      | Pikeperch                                | <i>Sander lucioperca</i>  | Lake peipus perch and pike-perch                                 | Wild  | Various  | Europe Inland Waters  |
| Plaice        | MSC                     | Not Recommended      | Pikeperch                                | <i>Sander lucioperca</i>  | SIC Lake Malaren and Lake Vanern pikeperch                       | Wild  | Gillnet, traps   | Sweden  |
|               |                         | Ocean Wise           | Alaska plaice                            |   |  | Wild  | Bottom trawl, Midwater trawl, Bottom longline  | Alaska  |
|               |                         | Not Recommended      | American plaice                          | <i>Hippoglossoides platessoides</i>                                   |  | Wild  | Bottom trawl   | US Atlantic - New England   |
|               |                         | Not Recommended      | European plaice                          | <i>Pleuronectes platessa</i>  |  | Wild  | Danish seine, Bottom trawl, Bottom longline, Bottom gillnet                            | Iceland   |
|               | MSC                     | Ocean Wise           | Alaska plaice                            |   |  | Wild  | Bottom trawl   | Bering Sea and Aleutian Islands   |
|               | MSC                     | Ocean Wise           | Plaice                                   | <i>Pleuronectes platessa</i>  | ISF Iceland saithe, ling, Atlantic wolffish and plaice           | Wild  | Trawl, Seine, longline, handline   | North East atlantic (FAO 27)  |
|               | MSC                     | Not Recommended      | Plaice                                   | <i>Pleuronectes platessa</i>  | Cooperative Fishery Organisation (CVO) North Sea plaice and sole | Wild  | Trawl, Various   | North Sea   |
|               | MSC                     | Not Recommended      | Dover Sole                               | <i>Solea solea</i>  | Cooperative Fishery Organisation (CVO) North Sea plaice and sole | Wild  | Trawl, Various   | North Sea   |
|               | MSC                     | Not Recommended      | Plaice                                   | <i>Pleuronectes platessa</i>  | Osprey Trawlers North Sea twin-rigged plaice                     | Wild  | Bottom trawl   | Central North Sea   |
|               | MSC                     | Not Recommended      | Plaice                                   | <i>Pleuronectes platessa</i>  | Ekofish Group-North Sea twin rigged otter trawl plaice           | Wild  | Bottom trawl   | Between Scotland and Denmark  |
| MSC           | Not Recommended         | Plaice               | <i>Pleuronectes platessa</i>             | DFPO Denmark North Sea plaice   | Wild   | Danish seine, Bottom trawl, Gillnet             | The North Sea  |   |
| MSC           | Not Recommended         | Plaice               | <i>Pleuronectes platessa</i>             | North Sea - Skagerrak Plaice Fishery Scope Extension Assessment       | Wild   | Danish seine, Gillnet, Demersal trawl, Longline | North Sea, Skagerrak & Kattegat, FAO statistical area 27, ICES Area IV, Division IIIa. |   |
| Pollock       |                         | Ocean Wise           | Atlantic pollock                         | <i>Pollachius virens</i>  |  | Wild  | Purse seine, Gillnet   | Norway  |
|               |                         | Not Recommended      | Atlantic pollock                         | <i>Pollachius virens</i>  |  | Wild  | Bottom trawl; Bottom gillnet   | US - Georges Bank, Gulf of Maine  |
|               |                         | Not Recommended      | Atlantic pollock                         | <i>Pollachius virens</i>  |  | Wild  | Trawl; Gillnet; Danish Seine   | Canada  |
|               |                         | Not Recommended      | Walleye pollock                          | <i>Gadus chalcogrammus</i>  |  | Wild  | Midwater Trawls, Danish Seine  | Russia  |
|               |                         | Not Recommended      | Atlantic pollock                         | <i>Pollachius virens</i>  |  | Wild  | Trawl; Gillnet; Danish Seine   | Iceland   |
|               | MSC                     | Ocean Wise           | Alaskan pollock                          | <i>Theragra chalcogramma</i> ; <i>Gadus chalcogrammus</i>             | Alaska Pollock - Bering Sea and Aleutian Islands                 | Wild  | Midwater trawl   | Bering Sea and Aleutian Islands   |
|               | MSC                     | Ocean Wise           | Alaskan pollock                          | <i>Theragra chalcogramma</i> ; <i>Gadus chalcogrammus</i>             | Alaska Pollock- Gulf of Alaska                                   | Wild  | Trawl  | Gulf of Alaska  |
| MSC           | Ocean Wise              | Atlantic pollock     | <i>Pollachius virens</i>                 | US Acadian redfish, haddock and pollock Otter Trawl                   | Wild   | Bottom trawl                                    | US FAO Fishing Area 21 in Division 21.4X and Division 21.5t                            |   |
| MSC           | Not Recommended         | Russian pollock      | <i>Theragra chalcogramma</i>             | Russia Sea of Okhotsk pollock   | Wild   | Midwater trawl                                  | Russia, Sea of Okhotsk   |   |
| Pomfret       |                         | Not Recommended      | Bigscale pomfret                         | <i>Taractichthys steindachneri</i> , <i>Eumegistis illustris</i>      |  | Wild  | Pelagic longline; Handline   | Hawaii  |
|               |                         | Ocean Wise           | Florida pompano                          | <i>Trachinotus carolinus</i>  |  | Wild  | Handline, Seine, Gillnet, Cast net   | US  |
| Pompano       |                         | Ocean Wise           | Pompano                                  | <i>Trachinotus spp.</i>   |  | Farmed  | Recirculating aquaculture system (RAS)   | Worldwide   |
|               |                         | Not Recommended      | Pompano                                  | <i>Trachinotus spp.</i>   |  | Farmed  | Open net pen   | Asia, Dominican Republic  |
|               |                         | Not Recommended      | Red porgy, Seabream, Silver snapper, Tai | <i>Pargus pargus</i>  |  | Wild  | Handline   | US Atlantic, Gulf of Mexico   |
| Redfish       | MSC                     | Ocean Wise           | Acadian redfish                          | <i>Sebastes fasciatus</i>   | Canada 3LN redfish   | Wild  | Bottom trawl, Midwater trawl   | Northeast Atlantic  |
|               | MSC                     | Ocean Wise           | Acadian redfish                          | <i>Sebastes fasciatus</i>   | US Acadian redfish, haddock and pollock Otter Trawl              | Wild  | Bottom trawl   | US FAO Fishing Area 21 in Division 21.4X and Division 21.5t   |
|               | MSC                     | Ocean Wise           | Golden Redfish                           | <i>Sebastes marinus</i>   | ISF Iceland golden redfish                                       | Wild  | Bottom trawl, Danish seine, Bottom longline, Handline, Gillnet, Nephrops trawl         | North East Atlantic   |
| Rockfish      |                         | Ocean Wise           | Aurora rockfish                          | <i>Sebastes aurora</i>  |  | Wild  | Bottom trawl   | California, Oregon, Washington  |
|               |                         | Ocean Wise           | Black rockfish                           | <i>Sebastes melanops</i>  |  | Wild  | Handline   | California, Washington, Oregon  |
|               |                         | Ocean Wise           | Blackgill rockfish                       | <i>Sebastes melanostomus</i>  |  | Wild  | Bottom longline, Bottom trawl  | California, Washington, Oregon  |
|               |                         | Ocean Wise           | Blackspotted rockfish                    | <i>Sebastes melanostictus</i>   |  | Wild  | Bottom trawl   | Alaska  |
|               |                         | Ocean Wise           | Blue rockfish                            | <i>Sebastes mystinus</i>  |  | Wild  | Handline   | California, Washington, Oregon  |
|               |                         | Ocean Wise           | Bocaccio rockfish                        | <i>Sebastes paucispinis</i>   |  | Wild  | Bottom longline; Bottom trawl  | California, Washington, Oregon  |
|               |                         | Ocean Wise           | Brown rockfish                           | <i>Sebastes auriculatus</i>   |  | Wild  | Handline   | California, Washington, Oregon  |
|               |                         | Ocean Wise           | Cabezon                                  | <i>Scorpaenichthys armoratus</i>                                      |  | Wild  | Handline   | California, Oregon, Washington  |
|               |                         | Ocean Wise           | Canary rockfish                          | <i>Sebastes pinniger</i>  |  | Wild  | Midwater trawl   | British Columbia  |
|               |                         | Ocean Wise           | Canary rockfish                          | <i>Sebastes pinniger</i>  |  | Wild  | Bottom trawl   | California, Washington, Oregon  |



|            |                 |                                  |                              |   |        |   |  |
|------------|-----------------|----------------------------------|------------------------------|---|--------|---|--|
|            | Ocean Wise      | Chilipepper rockfish             | <i>Sebastes goodei</i>       |   | Wild   | Bottom trawl  | California, Washington, Oregon   |
|            | Ocean Wise      | China rockfish                   | <i>Sebastes nebulosus</i>    |   | Wild   | Handline  | California, Washington, Oregon   |
|            | Ocean Wise      | Darkblotched rockfish            | <i>Sebastes crameri</i>      |   | Wild   | Bottom trawl  | California   |
|            | Ocean Wise      | Dusky rockfish                   | <i>Sebastes variabilis</i>   |   | Wild   | Bottom trawl  | Alaska   |
|            | Ocean Wise      | Greenstriped rockfish            | <i>Sebastes elongatus</i>    |   | Wild   | Bottom trawl  | California, Washington, Oregon   |
|            | Ocean Wise      | Longspine thornyhead             | <i>Sebastes albus</i>        |   | Wild   | Bottom trawl, Bottom longline   | California, Washington, Oregon   |
|            | Ocean Wise      | Longspine thornyhead             | <i>Sebastes albus</i>        |   | Wild   | Bottom trawl, Bottom longline   | British Columbia   |
|            | Ocean Wise      | Northern rockfish                | <i>Sebastes polyspinis</i>   |   | Wild   | Bottom trawl  | Alaska   |
|            | Ocean Wise      | Pacific Ocean perch              | <i>Sebastes alutus</i>       |   | Wild   | Bottom trawl  | California, Alaska   |
|            | Ocean Wise      | Rougheye rockfish                | <i>Sebastes aleutianus</i>   |   | Wild   | Bottom trawl, Bottom longline   | California, Alaska   |
|            | Ocean Wise      | Shortspine thornyhead            | <i>Sebastes albus</i>        |   | Wild   | Bottom trawl, Bottom longline   | Alaska, California, Washington, Oregon   |
|            | Ocean Wise      | Shortraker rockfish              | <i>Sebastes borealis</i>     |   | Wild   | Bottom trawl  | Alaska   |
|            | Ocean Wise      | Silvery rockfish                 | <i>Sebastes brevispinis</i>  |   | Wild   | Midwater trawl  | British Columbia   |
|            | Ocean Wise      | Splitnose rockfish               | <i>Sebastes diploproa</i>    |   | Wild   | Bottom trawl  | California, Washington, Oregon   |
|            | Ocean Wise      | Tiger rockfish                   | <i>Sebastes nigropectus</i>  |   | Wild   | Bottom longline, Troll, Jig   | British Columbia (Inshore)   |
|            | Ocean Wise      | Vermilion rockfish               | <i>Sebastes miniatus</i>     |   | Wild   | Bottom longline   | California   |
|            | Ocean Wise      | Widow rockfish                   | <i>Sebastes flavidus</i>     |   | Wild   | Bottom trawl, Midwater trawl  | California, Oregon   |
|            | Ocean Wise      | Quillback rockfish               | <i>Sebastes maliger</i>      |   | Wild   | Bottom longline, Jig, Troll   | British Columbia (Inshore & Offshore)  |
|            | Ocean Wise      | Yelloweye rockfish               | <i>Sebastes ruberrimus</i>   |   | Wild   | Bottom longline, Jig, Troll   | British Columbia (Inshore)   |
|            | Ocean Wise      | Yellowmouth rockfish             | <i>Sebastes reedi</i>        |   | Wild   | Midwater trawl  | British Columbia   |
|            | Ocean Wise      | Yellowtail rockfish              | <i>Sebastes flavidus</i>     |   | Wild   | Midwater trawl, Bottom longline, Jig, Troll                             | California, Oregon, Washington   |
|            | Ocean Wise      | Yellowtail rockfish              | <i>Sebastes flavidus</i>     |   | Wild   | Midwater trawl, Bottom longline, Jig, Troll                             | British Columbia   |
|            | Not Recommended | Black and yellow rockfish        | <i>Sebastes chrysomelas</i>  |   | Wild   | Handline  | California   |
|            | Not Recommended | Canary rockfish                  | <i>Sebastes pinniger</i>     |   | Wild   | Bottom trawl  | British Columbia   |
|            | Not Recommended | China rockfish                   | <i>Sebastes nebulosus</i>    |   | Wild   | Bottom longline   | British Columbia   |
|            | Not Recommended | Copper rockfish                  | <i>Sebastes caurinus</i>     |   | Wild   | Bottom longline   | British Columbia   |
|            | Not Recommended | Darkblotched rockfish            | <i>Sebastes crameri</i>      |   | Wild   | Bottom trawl, Midwater trawl  | British Columbia   |
|            | Not Recommended | Greenstriped rockfish            | <i>Sebastes elongatus</i>    |   | Wild   | Bottom trawl  | British Columbia   |
|            | Not Recommended | Grass rockfish                   | <i>Sebastes rastrelliger</i> |   | Wild   | Handline  | California, Washington, Oregon   |
|            | Not Recommended | Pacific Ocean perch              | <i>Sebastes alutus</i>       |   | Wild   | Bottom trawl, Midwater trawl  | British Columbia   |
|            | Not Recommended | Redbanded rockfish               | <i>Sebastes babcocki</i>     |   | Wild   | Bottom longline, Bottom trawl, Midwater trawl                           | British Columbia   |
|            | Not Recommended | Redstripe rockfish               | <i>Sebastes proriger</i>     |   | Wild   | Bottom trawl  | British Columbia   |
|            | Not Recommended | Rougheye rockfish                | <i>Sebastes aleutianus</i>   |   | Wild   | Bottom trawl, Midwater trawl, Bottom longline, Jig, Troll               | British Columbia   |
|            | Not Recommended | Shortraker rockfish              | <i>Sebastes borealis</i>     |   | Wild   | Bottom trawl, Bottom longline   | British Columbia   |
|            | Not Recommended | Shortspine thornyhead            | <i>Sebastes albus</i>        |   | Wild   | Bottom trawl  | British Columbia   |
|            | Not Recommended | Silvery rockfish                 | <i>Sebastes brevispinis</i>  |   | Wild   | Bottom trawl  | British Columbia   |
|            | Not Recommended | Tiger rockfish                   | <i>Sebastes nigropectus</i>  |   | Wild   | Bottom longline, Troll, Jig   | British Columbia (Offshore)  |
|            | Not Recommended | Vermilion rockfish               | <i>Sebastes miniatus</i>     |   | Wild   | Handline  | California, Washington, Oregon   |
|            | Not Recommended | Widow rockfish                   | <i>Sebastes entomelas</i>    |   | Wild   | Bottom trawl  | British Columbia   |
|            | Not Recommended | Yelloweye rockfish               | <i>Sebastes ruberrimus</i>   |   | Wild   | Bottom longline, Troll, Jig   | British Columbia (Outside)   |
|            | Not Recommended | Yellowmouth rockfish             | <i>Sebastes reedi</i>        |   | Wild   | Bottom trawl  | British Columbia   |
|            | Not Recommended | Yellowtail rockfish              | <i>Sebastes flavidus</i>     |   | Wild   | Bottom trawl  | British Columbia   |
| MSC        | Ocean Wise      | Chilipepper rockfish             | <i>Sebastes goodei</i>       | US West Coast limited entry groundfish trawl                          | Wild   | Bottom trawl, Midwater trawl, Various                                   | Washington, Oregon, California   |
| MSC        | Ocean Wise      | Splitnose rockfish               | <i>Sebastes diploproa</i>    | US West Coast limited entry groundfish trawl                          | Wild   | Bottom trawl, Midwater trawl, Various                                   | Washington, Oregon, California   |
| MSC        | Ocean Wise      | Widow rockfish                   | <i>Sebastes flavidus</i>     | US West Coast limited entry groundfish trawl                          | Wild   | Bottom trawl, Midwater trawl, Various                                   | Washington, Oregon, California   |
| MSC        | Ocean Wise      | Yellowtail rockfish              | <i>Sebastes flavidus</i>     | US West Coast limited entry groundfish trawl                          | Wild   | Bottom trawl, Midwater trawl, Various                                   | Washington, Oregon, California   |
| Sablefish  | Ocean Wise      | Sablefish, black cod, butterfish | <i>Anoplopoma fimbria</i>    |   | Wild   | Bottom longline, Bottom trawl   | British Columbia   |
| Ocean Wise | Ocean Wise      | Sablefish, black cod, butterfish | <i>Anoplopoma fimbria</i>    |   | Farmed | Open net pen  | British Columbia   |
| Ocean Wise | Ocean Wise      | Sablefish, black cod, butterfish | <i>Anoplopoma fimbria</i>    |   | Wild   | Bottom longline, Trap   | Alaska   |
| Ocean Wise | Ocean Wise      | Sablefish, black cod, butterfish | <i>Anoplopoma fimbria</i>    |   | Wild   | Bottom trawl, Bottom longline, Trap                                     | California   |
| MSC        | Ocean Wise      | Sablefish, black cod, butterfish | <i>Anoplopoma fimbria</i>    | US West Coast limited entry groundfish trawl                          | Wild   | Bottom trawl, Midwater trawl, Various                                   | Washington, Oregon, California   |
| MSC        | Ocean Wise      | Sablefish, black cod, butterfish | <i>Anoplopoma fimbria</i>    | US North Pacific sablefish  | Wild   | Bottom longline   | Alaska   |
| MSC        | Ocean Wise      | Saithe                           | <i>Pollachius virens</i>     | Germany North Sea saithe trawl  | Wild   | Bottom trawl  | EC waters: ICES Sub-Area IIa, IIIa, IIIb, IV   |
| MSC        | Ocean Wise      | Saithe                           | <i>Pollachius virens</i>     | Norway North Sea saithe   | Wild   | Danish seine, Trawl, Purse seine, Jig, Longline, Various                | The Norwegian Sea  |
| MSC        | Ocean Wise      | Saithe                           | <i>Pollachius virens</i>     | Norway North East Arctic Saithe                                       | Wild   | Danish seine, Trawl, Purse seine, Jig, Longline, Various                | North Sea  |
| MSC        | Ocean Wise      | Saithe                           | <i>Pollachius virens</i>     | Faroe Island saithe   | Wild   | Trawl, Longline, Jig  | Faroe Plateau and Faroe Bank   |
| MSC        | Ocean Wise      | Saithe                           | <i>Pollachius virens</i>     | Faroe Islands North East Arctic cod and saithe                        | Wild   | Bottom trawl  | ICES areas I and II within Norwegian and Russian EEZ and International waters; FAO area 27   |
| MSC        | Ocean Wise      | Saithe                           | <i>Pollachius virens</i>     | ISF Iceland saithe  | Wild   | Bottom trawl, Danish seine, Longline, Handline, Gillnet, Nephrops trawl | Iceland  |
| MSC        | Ocean Wise      | Saithe                           | <i>Pollachius virens</i>     | Greenland cod, haddock and saithe trawl                               | Wild   | Bottom trawl  | ICES Areas I and II: within Norwegian and Russian EEZ and International Waters               |
| MSC        | Ocean Wise      | Saithe                           | <i>Pollachius virens</i>     | UK Fisheries/DFPU/Doggerbank Group saithe                             | Wild   | Bottom trawl  | NE Atlantic, ICES Subareas IV, VI and IIA  |
| MSC        | Ocean Wise      | Saithe                           | <i>Pollachius virens</i>     | Barents Sea cod, haddock and saithe                                   | Wild   | Bottom trawl  | Barents Sea - ICES Areas I and II. Within Norwegian and Russian EEZ and International Waters |
| MSC        | Not Recommended | Saithe                           | <i>Pollachius virens</i>     | UK Fisheries/DFPU/Doggerbank Northeast Arctic cod, haddock and saithe | Wild   | Bottom trawl  | North East Arctic - ICES Sub Areas I and II  |
| MSC        | Not Recommended | Saithe                           | <i>Pollachius virens</i>     | EURONOR saithe  | Wild   | Bottom trawl  | The North Sea and the Arctic Ocean (ICES subareas I, II and IV)                              |
| MSC        | Not Recommended | Saithe                           | <i>Pollachius virens</i>     | Scapêche and Compagnie de Pêche de St. Malo saithe                    | Wild   | Bottom trawl  | North Sea, West Scotland, Arctic   |
| MSC        | Not Recommended | Saithe                           | <i>Pollachius virens</i>     | Scottish Fisheries Sustainable Accreditation Group (SFSAG) saithe     | Wild   | Bottom trawl  | North Sea and West of Scotland   |
| MSC        | Not Recommended | Saithe                           | <i>Pollachius virens</i>     | DFPD Denmark North Sea & Skagerrak saithe                             | Wild   | Bottom trawl, Gillnet   | North Sea (ICES area IV) and Divisions IIIa,b,c,d  |
| MSC        | Not Recommended | Saithe                           | <i>Pollachius virens</i>     | Arkhangelsk Trawl Fleet Barents Sea cod, haddock, and saithe          | Wild   | Trawl   | Barents and Norwegian Seas   |

|                   |                 |                 |  |   |                                      |             |  |   |
|-------------------|-----------------|-----------------|--|---|--------------------------------------|-------------|--|---|
| Salmon (Atlantic) |                 | Ocean Wise      | Atlantic salmon                          | <i>Salmo salar</i>                        |                                      | Farmed      | Recirculating aquaculture system (RAS)                   | Worldwide   |
|                   |                 | Ocean Wise      | Atlantic salmon (Blue Circle Brand only) | <i>Salmo salar</i>                        |                                      | Farmed      | Open net pen   | Norway - Kvaroy and Selsøyvik farms only  |
|                   |                 | Not Recommended | Atlantic salmon                          | <i>Salmo salar</i>                        |                                      | Farmed      | Open net pen   | British Columbia  |
|                   |                 | Not Recommended | Atlantic salmon                          | <i>Salmo salar</i>                        |                                      | Farmed      | Open net pen   | Norway  |
|                   |                 | Not Recommended | Atlantic salmon                          | <i>Salmo salar</i>                        |                                      | Farmed      | Open net pen   | Chile   |
|                   |                 | Not Recommended | Atlantic salmon                          | <i>Salmo salar</i>                        |                                      | Farmed      | Open net pen   | Scotland  |
|                   |                 | Not Recommended | Atlantic salmon                          | <i>Salmo salar</i>                        |                                      | Farmed      | Open net pen   | Atlantic Canada, Maine, US  |
| Salmon (Chinook)  | ASC             | Not Recommended | Atlantic salmon                          | <i>Salmo spp.</i>                         |                                      | Farmed      | Open net pen   | Worldwide   |
|                   |                 | Ocean Wise      | Chinook salmon                           | <i>Oncorhynchus tshawytscha</i>           |                                      | Wild        | Drift Gillnet  | BC north coast, BC central coast, Transboundary Canada, Area D                              |
|                   |                 | Ocean Wise      | Chinook salmon                           | <i>Oncorhynchus tshawytscha</i>           |                                      | Wild        | Troll/Pole   | BC north coast; West Coast Vancouver Island   |
|                   |                 | Ocean Wise      | Chinook salmon                           | <i>Oncorhynchus tshawytscha</i>           |                                      | Wild        | Gillnet  | Washington North Pacific  |
|                   |                 | Ocean Wise      | Chinook salmon                           | <i>Oncorhynchus tshawytscha</i>           |                                      | Farmed      | Open net pen   | New Zealand   |
|                   |                 | Not Recommended | Chinook salmon                           | <i>Oncorhynchus tshawytscha</i>           |                                      | Wild        | Gillnet, Purse seine, Troll                              | US Washington, Oregon, California ** except WA North Pacific                                |
|                   |                 | Not Recommended | Chinook salmon                           | <i>Oncorhynchus tshawytscha</i>           |                                      | Wild        | Unassociated purse seine, Drift gillnet                  | BC south coast  |
|                   | MSC             | Ocean Wise      | Chinook salmon                           | <i>Oncorhynchus tshawytscha</i>           | Alaska Salmon - Prince William Sound | Wild        | Gillnets, seines driftnets, hook and line, troll,        | Prince William Sound, Alaska  |
|                   | MSC             | Ocean Wise      | Chinook salmon                           | <i>Oncorhynchus tshawytscha</i>           | Alaska Salmon                        | Wild        | Gillnets, seines driftnets, hook and line, troll,        | Alaska **except South East Alaska and Yakutat   |
|                   | MSC             | Not Recommended | Chinook salmon                           | <i>Oncorhynchus tshawytscha</i>           | Alaska Annette Islands Reserve       | Wild        | Gillnets, purse seine                                    | AK Annette Islands  |
| Salmon (Chum)     |                 | Ocean Wise      | Chum salmon                              | <i>Oncorhynchus keta</i>                  |                                      | Wild        | Purse seine, Gillnet, Troll                              | BC  |
|                   |                 | Ocean Wise      | Chum salmon                              | <i>Oncorhynchus keta</i>                  |                                      | Wild        | Gillnet  | United States: Washington North Pacific   |
|                   |                 | Not Recommended | Chum salmon                              | <i>Oncorhynchus keta</i>                  |                                      | Wild        | Troll, Gillnet, Purse seine                              | US Washington, Oregon, California ** except WA North Pacific                                |
|                   | MSC             | Ocean Wise      | Chum salmon                              | <i>Oncorhynchus keta</i>                  | British Columbia Chum Salmon         | Wild        | Purse seine, Troll, Gillnet                              | Inner South Coast, West Vancouver Island  |
|                   | MSC             | Ocean Wise      | Chum salmon                              | <i>Oncorhynchus keta</i>                  | VA-Delta Kamchatka salmon            | Wild        | Trap net in sea, beach seines in river                   | Russia: Sea of Okhotsk and Ozernaya, Koshegochek, Golgina, Opala, Kol and Vorovskaya Rivers |
|                   | MSC             | Ocean Wise      | Chum salmon                              | <i>Oncorhynchus kisutch</i>               | Alaska Salmon                        | Wild        | Gillnets, seines driftnets, hook and line, troll,        | Alaska **except South East Alaska and Yakutat   |
|                   | MSC             | Ocean Wise      | Chum salmon                              | <i>Oncorhynchus kisutch</i>               | Alaska Salmon - Prince William Sound | Wild        | Gillnets, seines driftnets, hook and line, troll,        | Prince William Sound, Alaska  |
|                   | MSC             | Not Recommended | Chum salmon                              | <i>Oncorhynchus kisutch</i>               | Alaska Annette Islands Reserve       | Wild        | Gillnets, purse seine                                    | AK Annette Islands  |
|                   | MSC             | Not Recommended | Chum salmon                              | <i>Oncorhynchus keta</i>                  | Iturup Island pink & chum salmon     | Wild        | Trap   | Iturup Island, Russia   |
|                   | Salmon (Coho)   |                 | Ocean Wise                               | Coho salmon                               | <i>Oncorhynchus kisutch</i>          |             | Wild   | Gillnet   |
|                   |                 | Ocean Wise      | Coho salmon                              | <i>Oncorhynchus kisutch</i>               |                                      | Wild        | Gillnet  | BC central coast, transboundary Canada  |
|                   |                 | Ocean Wise      | Coho salmon                              | <i>Oncorhynchus kisutch</i>               |                                      | Wild        | Troll, Unassociated purse seine                          | North Coast BC  |
|                   |                 | Ocean Wise      | Coho salmon, sockeye salmon              | <i>Oncorhynchus kisutch, O. nerka</i>     |                                      | Farmed      | Recirculating aquaculture system (RAS)                   | Canada: BC, US  |
|                   |                 | Not Recommended | Coho salmon                              | <i>Oncorhynchus kisutch</i>               |                                      | Wild        | Troll, Gillnet, Purse seine                              | US Washington, Oregon, California ** except WA North Pacific                                |
|                   |                 | Not Recommended | Coho salmon                              | <i>Oncorhynchus kisutch</i>               |                                      | Wild        | Unassociated purse seine, Gillnet                        | BC south coast  |
|                   |                 | Not Recommended | Coho salmon                              | <i>Oncorhynchus kisutch</i>               |                                      | Farmed      | Open net pen   | Chile   |
| MSC               |                 | Ocean Wise      | Coho Salmon                              | <i>Oncorhynchus kisutch</i>               | Alaska Salmon                        | Wild        | Purse seine, gillnet, troll                              | Alaska **except South East Alaska and Yakutat   |
| MSC               |                 | Not Recommended | Coho Salmon                              | <i>Oncorhynchus kisutch</i>               | Alaska Annette Islands Reserve       | Wild        | Gillnets, purse seines                                   | AK Annette Islands  |
| Salmon (Pink)     |                 |                 | Ocean Wise                               | Pink salmon                               | <i>Oncorhynchus gorbuscha</i>        |             | Wild   | Gillnet, Purse seine  |
|                   |                 | Ocean Wise      | Pink salmon                              | <i>Oncorhynchus gorbuscha</i>             |                                      | Wild        | Purse seine, Gillnet, Troll                              | BC  |
|                   |                 | Ocean Wise      | Pink salmon                              | <i>Oncorhynchus gorbuscha</i>             |                                      | Wild        | Reefnet  | Washington  |
|                   |                 | Not Recommended | Pink salmon                              | <i>Oncorhynchus gorbuscha</i>             |                                      | Wild        | Troll, Gillnet, Purse seine                              | US Washington, Oregon, California ** except Puget Sound (gillnet, drift net, purse seine)   |
|                   | MSC             | Ocean Wise      | Pink salmon                              | <i>Oncorhynchus gorbuscha</i>             | British Columbia Pink Salmon         | Wild        | Beach seine, Gillnet, Weir, Purse seine, Various         | Fraser River, Inner South Coast, North/Central Coast, Haida Gwaii                           |
|                   | MSC             | Ocean Wise      | Pink salmon                              | <i>Oncorhynchus gorbuscha</i>             | VA-Delta Kamchatka salmon            | Wild        | Trap net in sea, beach seines in river                   | Russia: Sea of Okhotsk and Ozernaya, Koshegochek, Golgina, Opala, Kol and Vorovskaya Rivers |
|                   | MSC             | Ocean Wise      | Pink salmon                              | <i>Oncorhynchus gorbuscha</i>             | Alaska Salmon                        | Wild        | Purse seine, gillnet, troll                              | Alaska **except South East Alaska and Yakutat   |
|                   | MSC             | Ocean Wise      | Pink salmon                              | <i>Oncorhynchus gorbuscha</i>             | Alaska Salmon - Prince William Sound | Wild        | Gillnets, seines driftnets, hook and line, troll,        | Prince William Sound, Alaska  |
|                   | MSC             | Not Recommended | Pink salmon                              | <i>Oncorhynchus gorbuscha</i>             | Alaska Annette Islands Reserve       | Wild        | Gillnets, purse seines                                   | AK Annette Islands  |
|                   | MSC             | Not Recommended | Pink salmon                              | <i>Oncorhynchus gorbuscha</i>             | Iturup Island pink & chum salmon     | Wild        | Trap   | Iturup Island, Russia   |
| Salmon (Sockeye)  |                 | Ocean Wise      | Sockeye salmon                           | <i>Oncorhynchus nerka</i>                 |                                      | Wild        | Gillnet  | Washington North Pacific  |
|                   |                 | Ocean Wise      | Sockeye salmon                           | <i>Oncorhynchus nerka</i>                 |                                      | Wild        | Purse seine, Gillnet, Troll                              | BC  |
|                   |                 | Ocean Wise      | Sockeye salmon (Early summer run)        | <i>Oncorhynchus nerka</i>                 |                                      | Wild        | Reefnet  | Washington - Lummi Island, San Juan Island  |
|                   |                 | Not Recommended | Sockeye salmon                           | <i>Oncorhynchus nerka</i>                 |                                      | Wild        | Troll, Gillnet, Purse seine                              | US Washington, Oregon, California ** except WA North Pacific                                |
|                   |                 | Under Review    | Sockeye salmon                           | <i>Oncorhynchus nerka</i>                 |                                      | Wild        | Purse seine, Gillnet, Troll                              | Russia, Japan   |
|                   | MSC             | Ocean Wise      | Sockeye salmon                           | <i>Oncorhynchus nerka</i>                 | Alaska Salmon                        | Wild        | Purse seine, gillnet, troll                              | Alaska **except South East Alaska and Yakutat   |
|                   | MSC             | Ocean Wise      | Sockeye salmon                           | <i>Oncorhynchus nerka</i>                 | Alaska Salmon - Prince William Sound | Wild        | Gillnets, seines driftnets, hook and line, troll,        | Prince William Sound, Alaska  |
|                   | MSC             | Ocean Wise      | Sockeye salmon                           | <i>Oncorhynchus nerka</i>                 | British Columbia sockeye salmon      | Wild        | Gillnet, Purse seine                                     | Barkley Sound, Nass River, Skeena River   |
|                   | MSC             | Ocean Wise      | Sockeye salmon                           | <i>Oncorhynchus nerka</i>                 | VA-Delta Kamchatka salmon            | Wild        | Coastal trap nets in the sea, and beach seines in rivers | Russia: Sea of Okhotsk and Ozernaya, Koshegochek, Golgina, Opala, Kol and Vorovskaya Rivers |
|                   | MSC             | Not Recommended | Sockeye salmon                           | <i>Oncorhynchus nerka</i>                 | Alaska Annette Islands Reserve       | Wild        | Gillnets, purse seines                                   | AK Annette Islands  |
| Sanddab           |                 | Ocean Wise      | Pacific sanddab                          | <i>Citharichthys sordidus</i>             |                                      | Wild        | Bottom trawl   | Washinton, Oregon, California   |
| Sardine           |                 | Ocean Wise      | Pacific sardine                          | <i>Sardinops sagax</i>                    |                                      | Wild        | Purse seine  | US Pacific, Canadian Pacific  |
|                   |                 | Not Recommended | European sardine / Atlantic sardine      | <i>Sardina pilchardus</i>                 |                                      | Wild        | Unassociated purse seine, Midwater trawl                 | Mediterranean Sea, Black Sea  |
|                   | MSC             | Ocean Wise      | Sardine                                  | <i>Sardina pilchardus</i>                 | South Brittany sardine purse seine   | Wild        | Purse seine  | Bay of Biscay   |
|                   | MSC             | Not Recommended | Sardine                                  | <i>Sardina pilchardus</i>                 | Cornwall sardine, UK                 | Wild        | Ring net, Gillnet  | Cornwall, UK  |
|                   | MSC             | Not Recommended | Sardine                                  | <i>Sardina pilchardus</i>                 | Gulf of California, Mexico - sardine | Wild        | Purse seine  | Gulf of California, Mexico  |
|                   | MSC             | Not Recommended | Sardine                                  | <i>Sardina pilchardus</i>                 | Portugal sardine purse seine         | Wild        | Purse seine  | Portugal  |
| MSC               | Not Recommended | Sardine         | <i>Sardina pilchardus</i>                | Bay of Biscay purse seine sardine fishery | Wild                                 | Purse seine | Bay of Biscay  |   |

|                    |                  |                 |   |  |  |             |   |  |   |
|--------------------|------------------|-----------------|---|--|--|-------------|---|--|---|
| Scad               |                  | Ocean Wise      | Bigeye scad                             | <i>Selar crumenophthalmus</i>  |  | Wild        | Handline, Purse seine   | Hawaii   |   |
|                    |                  | Ocean Wise      | Mackerel scad                           | <i>Decapterus macarellus</i>   |  | Wild        | Handline, Lift net  | Hawaii   |   |
| Scallop            |                  | Ocean Wise      | Pink scallop                            | <i>Chlamys rubida</i>  |  | Wild        | Butterfly trawl   | British Columbia   |   |
|                    |                  | Ocean Wise      | Spiny scallop                           | <i>Chlamys hastata</i>   |  | Wild        | Butterfly trawl   | British Columbia   |   |
|                    |                  | Ocean Wise      | Baja scallop, lions paw scallop         | <i>Nodipecten subnodosus</i>   |  | Wild        | Diver   | Baja California  |   |
|                    |                  | Ocean Wise      | Bay scallop                             | <i>Argopecten irradians (or Aequipecten)</i>                           |  | Farmed      | Off-bottom culture, On-bottom culture, Dredge, Hand harvest                             | Worldwide  |   |
|                    |                  | Ocean Wise      | Chilean/Peruvian scallop                | <i>Argopecten purpuratus</i>   |  | Farmed      | Off-bottom culture  | Chile  |   |
|                    |                  | Ocean Wise      | Japanese scallop                        | <i>Pecten yessoensis</i>   |  | Farmed      | Off-bottom culture  | Japan  |   |
|                    |                  | Ocean Wise      | Mexican Bay Scallops                    | <i>Argopecten ventricosus</i>  |  | Wild        | Diver   | Magdalena Bay, Baja California Sur (Mexico)  |   |
|                    |                  | Ocean Wise      | Peruvian Calico scallop                 | <i>Argopecten purpuratus</i>   |  | Wild        | Diver   | Peru, Sechura Bay  |   |
|                    |                  | Ocean Wise      | Qualicum Beach scallop                  | <i>Patinopecten x</i>  |  | Farmed      | Off-bottom culture  | Vancouver Island   |   |
|                    |                  | Ocean Wise      | Scallops (various)                      | <i>Argopecten spp., Chlamys spp., Patinopecten spp., Pecten spp.</i>   |  | Farmed      | Off-bottom culture, On-bottom culture   | Worldwide  |   |
|                    |                  | Ocean Wise      | Weathervane scallop                     | <i>Patinopecten capax</i>  |  | Wild        | Dredge  | Alaska   |   |
|                    |                  | Not Recommended | Sea scallop (giant scallop)             | <i>Placopecten magellanicus</i>  |  | Wild        | Dredge  | Canada   |   |
|                    |                  | Not Recommended | Bay scallop                             | <i>Argopecten irradians</i>  |  | Wild        | Dredge  | US: New York, Massachusetts  |   |
|                    | ASC              | Ocean Wise      | Scallops (various)                      | Multiple Species   |  | Farmed      | Various   | Worldwide  |   |
|                    | Canadian Organic | Ocean Wise      | Scallops (various)                      | Multiple Species   |  | Farmed      | Various   | Canada   |   |
|                    | MSC              | Ocean Wise      | Pategonian Scallop                      | <i>Zygochlamys patagonica</i>  | Pategonian Scallop                                     | Wild        | Dredge  | Argentina  |   |
|                    | MSC              | Ocean Wise      | Queen scallop                           | <i>Aequipecten opercularis</i>   | Faroe Islands queen scallop                            | Wild        | Dredge  | Faroe Islands  |   |
|                    | MSC              | Ocean Wise      | Yesso scallop                           | <i>Patinopecten yessoensis</i>   | Zhangzidao scallop                                     | Wild/Farmed | Off-bottom culture, Diver, Dredge   | The North Yellow sea   |   |
|                    | MSC              | Ocean Wise      | Atlantic Sea Scallop                    | <i>Placopecten magellanicus</i>  | FBSA Canada Full Bay sea scallop                       | Wild        | Dredge  | The Bay of Fundy and Scallop Fishing Area 29   |   |
|                    | MSC              | Not Recommended | Japanese scallop                        | <i>Patinopecten yessoensis</i>   | Japanese scallop hanging and seabed enhanced fisheries | Wild        | Various   | Japan Sea and Funka Bay  |   |
| MSC                | Not Recommended  | King scallops   | <i>Pecten maximus</i>                   | SSMO Shetland inshore brown & velvet crab, lobster and scallop fishery | Wild   | Dredge      | EU waters-ICES Areas IVa which is within 6 nautical miles of Shetland                   |  |   |
| MSC                | Not Recommended  | Sea scallop     | <i>Placopecten magellanicus</i>         | US Sea Scallop   | Wild   | Dredge      | US Mid-Atlantic, Georges Banks  |  |   |
| Scup/ Porgy        |                  | Ocean Wise      | Scup                                    | <i>Stenotomus chrysops</i>   |  | Wild        | Bottom trawl  | US: New England  |   |
|                    |                  | Ocean Wise      | aka Fairmaid, Ironside, Scuppaug        | <i>Stenotomus chrysops</i>   |  | Wild        | Bottom trawl  | US: mid-Atlantic   |   |
| Sea bass, European |                  | Ocean Wise      | European seabass, branzino              | <i>Dicentrarchus labrax</i>  |  | Farmed      | Recirculating Aquaculture System (RAS)  | Worldwide  |   |
|                    |                  | Not Recommended | European seabass, branzino              | <i>Dicentrarchus labrax</i>  |  | Farmed      | Open net pen  | Mediterranean Sea  |   |
|                    | MSC              | Ocean Wise      | Dutch rod and line fishery for sea bass | <i>Dicentrarchus labrax</i>  |  | Wild        | Handline  | Southern North Sea   |   |
| Sea Bream          |                  | Not Recommended | Black seabream                          | <i>Spondylisoma cantharus</i>  |  | Wild        | Handline, Midwater trawl, Bottom gillnet, Bottom trawl                                  | United Kingdom, France   |   |
|                    |                  | Not Recommended | Gilthead seabream                       | <i>Sparus aurata</i>   |  | Farmed      | Open net pen  | Mediterranean Sea  |   |
| Sea Cucumber       |                  | Ocean Wise      | Giant Red Sea Cucumber                  | <i>Paratchopus californicus</i>  |  | Wild        | Diver   | British Columbia   |   |
|                    |                  | Ocean Wise      | Orange-footed sea cucumber              | <i>Cucumaria frondosa</i>  |  | Wild        | Towed dredges   | Newfoundland and Labrador, Quebec  |   |
|                    |                  | Not Recommended | Orange-footed sea cucumber              | <i>Cucumaria frondosa</i>  |  | Wild        | Towed dredges   | Nova Scotia, New Brunswick   |   |
| Seaweed            |                  | Ocean Wise      | Seaweed                                 | <i>All species</i>   |  | Farmed      | Various   | Worldwide  |   |
| Shark              |                  | Ocean Wise      | Spiny dogfish                           | <i>Squalus acanthias</i>   |  | Wild        | Bottom trawl  | Washington, Oregon, California   |   |
|                    |                  | Not Recommended | Common thresher shark                   | <i>Alopias vulpinus</i>  |  | Wild        | Gillnet   | California   |   |
|                    |                  | Not Recommended | Blue shark                              | <i>Prionace glauca</i>   |  | Wild        | Pelagic longline, Deepset longline, Shallowset longline                                 | South Pacific, East Pacific, North Pacific, WCPO, Indian Ocean, North Atlantic, South Atlantic, Canada                     |   |
|                    |                  | Not Recommended | Silky shark                             | <i>Carcharhinus falciformis</i>  |  | Wild        | Pelagic longline, FAD purse seine   | East Pacific, South Pacific, North Pacific, Sri Lanka Indian Ocean   |   |
|                    |                  | Not Recommended | Porbeagle shark                         | <i>Lamna nasus</i>   |  | Wild        | Pelagic longline  | Canadian Atlantic  |   |
|                    |                  | Not Recommended | Porbeagle shark                         | <i>Lamna nasus</i>   |  | Wild        | Handline, Pelagic longline, Various   | Atlantic ocean   |   |
|                    |                  | Not Recommended | Shortfin mako shark                     | <i>Isurus oxyrinchus</i>   |  | Wild        | Gillnet   | California   |   |
|                    |                  | Not Recommended | Shortfin mako shark                     | <i>Isurus oxyrinchus</i>   |  | Wild        | Pelagic longline  | WCPO, North Pacific, South Pacific, Indian Ocean, North Atlantic, South Atlantic, Canada North Atlantic, US North Atlantic |   |
|                    |                  | Not Recommended | Spiny dogfish                           | <i>Squalus acanthias</i>   |  | Wild        | Trawl; Longline; Handline   | Worldwide (except US West coast)   |   |
|                    | Shrimp/Prawns    |                 | Ocean Wise                              | Giant freshwater prawn   | <i>Macrobrachium rosenbergii</i>                       |             | Farmed  | Pond   | Central America, North America, South America |
|                    |                  |                 | Ocean Wise                              | Giant freshwater prawn   | <i>Macrobrachium rosenbergii</i>                       |             | Farmed  | Pond   | Asia  |
|                    |                  |                 | Ocean Wise                              | Northern pink shrimp   | <i>Pandalus borealis</i>                               |             | Wild  | Trap   | Nova Scotia: Chedabucto Bay                   |
|                    |                  | Ocean Wise      | Humpback shrimp (Coonstripe shrimp)     | <i>Pandalus hypsinotus</i>   |  | Wild        | Trap  | BC, Alaska, California   |   |
|                    |                  | Ocean Wise      | Northern shrimp                         | <i>Pandalus borealis</i>   |  | Wild        | Bottom trawl  | Alaska   |   |
|                    |                  | Ocean Wise      | Northern shrimp                         | <i>Pandalus borealis</i>   |  | Wild        | Bottom trawl  | British Columbia   |   |
|                    |                  | Ocean Wise      | Pink shrimp                             | <i>Pandalus jordani</i>  |  | Wild        | Modified trawl  | Oregon   |   |
|                    |                  | Ocean Wise      | Pink shrimp                             | <i>Pandalus jordani</i>  |  | Wild        | Bottom trawl  | British Columbia   |   |
|                    |                  | Ocean Wise      | Ridgeback shrimp                        | <i>Sicyonia ingentis</i>   |  | Wild        | Bottom trawl  | California   |   |
|                    |                  | Ocean Wise      | Sidestripe shrimp                       | <i>Pandalopsis dispar</i>  |  | Wild        | Bottom trawl  | British Columbia   |   |
|                    |                  | Ocean Wise      | Sidestripe shrimp                       | <i>Pandalopsis dispar</i>  |  | Wild        | Bottom trawl  | Alaska   |   |
|                    |                  | Ocean Wise      | Spot prawn                              | <i>Pandalus platyceros</i>   |  | Wild        | Trap  | Alaska, Washington   |   |
|                    |                  | Ocean Wise      | Spot prawn                              | <i>Pandalus platyceros</i>   |  | Wild        | Trap  | BC   |   |
|                    |                  | Ocean Wise      | Tiger shrimp (Selva brand only)         | <i>Penaeus monodon</i>   |  | Farmed      | Silvofishery: extensive mixed shrimp and mangrove forestry using Selva Shrimp Criteria® | Vietnam: Ca Mau  |   |
|                    |                  | Ocean Wise      | Whiteleg shrimp                         | <i>(Lito) Penaeus vannamei</i>   |  | Farmed      | Recirculating aquaculture system (RAS), Pond, Raceway                                   | US   |   |
|                    |                  | Not Recommended | Argentine red shrimp                    | <i>Pleoticus muelleri</i>  |  | Wild        | Bottom trawl  | Argentina  |   |
|                    |                  | Not Recommended | Blue shrimp                             | <i>Litopenaeus stylirostris</i>  |  | Wild        | Trawl; Various  | Gulf of Mexico, Mexico   |   |
|                    |                  | Not Recommended | Brown shrimp (Gulf shrimp)              | <i>Farfantepenaeus aztecus</i>   |  | Wild        | Bottom trawl, Skimmer trawl   | US South Atlantic, US Gulf of Mexico   |   |
|                    |                  | Not Recommended | Chinese white shrimp                    | <i>(Fenner) Penaeus chinensis</i>                                      |  | Farmed      | Pond  | Asia   |   |
|                    |                  | Not Recommended | Giant freshwater prawn                  | <i>Macrobrachium rosenbergii</i>                                       |  | Farmed      | Pond  | Bangladesh   |   |
|                    | Not Recommended  | Humpy shrimp    | <i>Pandalus goniorus</i>                |  | Wild   | Various     | BC, Alaska, California, Oregon, Washington  |  |   |

|           |                 |   |                                    |  |             |  |   |
|-----------|-----------------|---|------------------------------------|--|-------------|--|---|
|           | Not Recommended | Pink shrimp   | <i>Pandalus jordani</i>            |  | Wild        | Bottom trawl                           | California, Washington  |
|           | Not Recommended | Pink shrimp (Gulf shrimp)   | <i>Penaeus duorarum</i>            |  | Wild        | Bottom trawl, Skimmer trawl            | US South Atlantic, US Gulf of Mexico  |
|           | Not Recommended | Rock shrimp (Gulf shrimp)   | <i>Sicyonia brevirostris</i>       |  | Wild        | Bottom trawl, Midwater trawl, Cast net | Gulf of Mexico, Florida Gulf, South Atlantic  |
|           | Not Recommended | Royal red shrimp (Gulf shrimp)  | <i>Hymenopeneus robustus</i>       |  | Wild        | Bottom trawl, Skimmer trawl            | Gulf of Mexico, US South Atlantic   |
|           | Not Recommended | Seabob shrimp (Gulf shrimp)   | <i>Xiphopenaeus kroyeri</i>        |  | Wild        | Bottom trawl, Skimmer trawl            | US South Atlantic, US Gulf of Mexico  |
|           | Not Recommended | Spot prawn  | <i>Pandalus platyceros</i>         |  | Wild        | Trap                                   | California  |
|           | Not Recommended | Tiger prawn   | <i>Penaeus monodon</i>             |  | Farmed      | Pond                                   | Asia, South America   |
|           | Not Recommended | Tiger prawn   | <i>Penaeus monodon</i>             |  | Farmed      | Pond                                   | Bangladesh  |
|           | Not Recommended | Tiger prawn   | <i>Penaeus monodon</i>             |  | Farmed      | Pond                                   | India   |
|           | Not Recommended | Tiger prawn   | <i>Penaeus monodon</i>             |  | Farmed      | Pond                                   | Indonesia   |
|           | Not Recommended | Giant tiger prawn   | <i>Penaeus monodon</i>             |  | Farmed      | Pond                                   | Malaysia  |
|           | Not Recommended | Giant tiger prawn   | <i>Penaeus monodon</i>             |  | Farmed      | Pond Silviculture                      | Vietnam   |
|           | Not Recommended | White shrimp  | <i>Litopenaeus vannamei</i>        |  | Farmed      | Pond                                   | Malaysia  |
|           | Not Recommended | Whiteleg shrimp   | (Lito) <i>Penaeus vannamei</i>     |  | Farmed      | Pond                                   | Honduras  |
|           | Not Recommended | Whiteleg shrimp   | (Lito) <i>Penaeus vannamei</i>     |  | Farmed      | Pond                                   | India   |
|           | Not Recommended | Whiteleg shrimp   | (Lito) <i>Penaeus vannamei</i>     |  | Farmed      | Pond                                   | Indonesia   |
|           | Not Recommended | Whiteleg shrimp   | (Lito) <i>Penaeus vannamei</i>     |  | Farmed      | Pond                                   | Ecuador   |
|           | Not Recommended | Whiteleg shrimp   | (Lito) <i>Penaeus vannamei</i>     |  | Wild/Farmed | Trawl; Pond                            | Mexico to Peru  |
|           | Not Recommended | Whiteleg shrimp   | (Lito) <i>Penaeus vannamei</i>     |  | Farmed      | Pond                                   | Thailand  |
|           | Not Recommended | Whiteleg shrimp   | (Lito) <i>Penaeus vannamei</i>     |  | Farmed      | Pond                                   | China   |
|           | Not Recommended | Whiteleg shrimp   | (Lito) <i>Penaeus vannamei</i>     |  | Farmed      | Intensive Pond                         | Vietnam   |
| ASC       | Ocean Wise      | Shrimp  | Multiple Species                   |  | Farmed      | Various                                | Worldwide   |
| Naturland | Ocean Wise      | Shrimp  | Multiple Species                   |  | Farmed      | Various                                | Worldwide   |
| MSC       | Ocean Wise      | Coldwater Prawn   | <i>Pandalus borealis</i>           | Norway North East Arctic cold water prawn                          | Wild        | Trawl                                  | Barents Sea and Svalbard  |
| MSC       | Ocean Wise      | Northern Coldwater Prawn  | <i>Pandalus borealis</i>           | Canada Scotian Shelf Northern prawn Trawl                          | Wild        | Bottom trawl                           | CAN - Shrimp Fishing Areas (SFA) 13, 14, 15   |
| MSC       | Ocean Wise      | Northern Coldwater Prawn  | <i>Pandalus borealis</i>           | Gulf of St. Lawrence northern shrimp                               | Wild        | Bottom trawl                           | Gulf of St. Lawrence, SFA 9, 10, 12   |
| MSC       | Ocean Wise      | Northern Coldwater Prawn  | <i>Pandalus borealis</i>           | Canada offshore northern and striped shrimp                        | Wild        | Bottom trawl                           | Atlantic Canada - SFAs 1,2,3,4,5,6,   |
| MSC       | Ocean Wise      | Offshore Striped Shrimp   | <i>Pandalus montagui</i>           | Canada offshore northern and striped shrimp                        | Wild        | Bottom trawl                           | Atlantic Canada - SFAs 2,3,& 4  |
| MSC       | Ocean Wise      | Northern shrimp, pink shrimp, deepwater prawn, great northern prawn and crevette nordique       | <i>Pandalus borealis</i>           | Faroe Islands North East Arctic cold water prawn                   | Wild        | Bottom trawl; Modified trawl           | Barrents sea  |
| MSC       | Ocean Wise      | Oregon Pink shrimp  | <i>Pandalus jordani</i>            | Oregon and Washington pink shrimp                                  | Wild        | Midwater Trawl                         | Oregon & Washington Coast   |
| MSC       | Ocean Wise      | Northern Coldwater Prawn  | <i>Pandalus borealis</i>           | Estonia North East Arctic cold water prawn                         | Wild        | Bottom trawl; Modified trawl           | ICES 1a,b and 11b. FAO 27   |
| MSC       | Not Recommended | Northern Coldwater Prawn  | <i>Pandalus borealis</i>           | Canada offshore northern and striped shrimp                        | Wild        | Bottom trawl                           | Atlantic Canada - SFA 7   |
| MSC       | Not Recommended | Atlantic seabob shrimp  | <i>Xiphopenaeus kroyeri</i>        | Suriname Atlantic seabob shrimp                                    | Wild        | Bottom trawl                           | Suriname  |
| MSC       | Not Recommended | Brown Tiger Prawn   | <i>Penaeus esculentus</i>          | Exmouth Gulf prawn   | Wild        | Bottom trawl                           | North/northwest waters of Exmouth Gulf, Western Australia   |
| MSC       | Not Recommended | Western King prawn  | <i>Penaeus latisulcatus</i>        | Exmouth Gulf prawn   | Wild        | Bottom trawl                           | North/northwest waters of Exmouth Gulf, Western Australia   |
| MSC       | Not Recommended | Brown Tiger Prawn   | <i>Penaeus esculentus</i>          | Shark Bay prawn  | Wild        | Bottom trawl                           | North/northwest waters of Exmouth Gulf, Western Australia   |
| MSC       | Not Recommended | Western King prawn  | <i>Penaeus latisulcatus</i>        | Shark Bay prawn  | Wild        | Bottom trawl                           | North/northwest waters of Exmouth Gulf, Western Australia   |
| MSC       | Not Recommended | Coldwater Prawn   | <i>Pandalus borealis</i>           | West Greenland coldwater prawn                                     | Wild        | Bottom trawl                           | West Greenland  |
| MSC       | Not Recommended | Cold water prawns, shrimp, northern shrimp, deep-water shrimp, pink shrimp, northern red shrimp | <i>Pandalus borealis</i>           | Denmark Skagerrak and the Norwegian Deep cold water prawn          | Wild        | Bottom trawl                           | Skagerrak, Kattegat and the Norwegian Deep. ICES divisions: IIIa and IVa East. FAO statistical area: 27     |
| MSC       | Not Recommended | Cold water prawns, shrimp, northern shrimp, deep-water shrimp, pink shrimp, northern red shrimp | <i>Pandalus borealis</i>           | Norway Skagerrak and the Norwegian Deep cold-water prawn           | Wild        | Bottom trawl                           | North Sea and Skagerrak, FAO statistical area 27. ICES Divisions IIIa and IVa East                          |
| MSC       | Not Recommended | King Prawn  | <i>Penaeus latisulcatus</i>        | Spencer Gulf king prawn  | Wild        | Bottom trawl                           | The Spencer Gulf of South Australia   |
| MSC       | Not Recommended | Northern Shrimp   | <i>Pandalus borealis</i>           | Sweden Skagerrak, Kattegat and the Norwegian Deep cold-water prawn | Wild        | Bottom trawl                           | ICES Divisions IIIa West and IVa East (Skagerrak and the Norwegian Deep) in Norwegian and EU waters, FAO 27 |
| MSC       | Not Recommended | Nylon Shrimp  | <i>Heterocarpus reedi</i>          | Chile squat lobsters and nylon shrimp modified trawl fishery       | Wild        | Bottom trawl; Modified trawl           | FAO statistical area 87, South East Pacific   |
| Skate     | Ocean Wise      | Big skate   | <i>Raja binoculata</i>             |  | Wild        | Bottom longline, bottom trawl          | British Columbia  |
|           | Ocean Wise      | Big skate   | <i>Raja binoculata</i>             |  | Wild        | Bottom trawl                           | Oregon, California, Washington  |
|           | Ocean Wise      | California skate  | <i>Raja inornata</i>               |  | Wild        | Bottom trawl                           | Oregon, California, Washington  |
|           | Ocean Wise      | Longnose skate  | <i>Raja rhina</i>                  |  | Wild        | Bottom trawl                           | Oregon, California, Washington  |
|           | Not Recommended | Longnose skate  | <i>Raja rhina</i>                  |  | Wild        | Bottom trawl, Bottom longline          | British Columbia  |
|           | Not Recommended | Winter skate  | <i>Leucoraja ocellata</i>          |  | Wild        | Trawl, Bottom gillnet                  | US Atlantic   |
| MSC       | Ocean Wise      | Longnose skate  | <i>Raja rhina</i>                  | US West Coast limited entry groundfish trawl                       | Wild        | Bottom trawl; Midwater trawl           | Washington, Oregon, California  |
| Smelt     | Ocean Wise      | Rainbow smelt   | <i>Osmerus mordax</i>              |  | Wild        | Bottom gillnet, Midwater trawl         | Canada (Lake Erie, Lake Huron)  |
|           | Ocean Wise      | Rainbow smelt   | <i>Osmerus mordax</i>              |  | Wild        | Bottom gillnet, Trap net               | US (Lake Superior)  |
|           | Under Review    | Night smelt   | <i>Spirinchus starksi</i>          |  | Wild        | Dip net; Gillnet                       | California, Oregon  |
| MSC       | Ocean Wise      | Great silver smelt  | <i>Argentina silus</i>             | Faroe Islands silver smelt   | Wild        | Trawl                                  | Faroe Bank & Faroe Plateau  |
| Snapper   | Ocean Wise      | Blacktail snapper   | <i>Lutjanus fulvus</i>             |  | Wild        | Handline, surround net, diver          | Hawaii  |
|           | Ocean Wise      | Bluestriped snapper   | <i>Lutjanus kasmira</i>            |  | Wild        | Handline, surround net, diver          | Hawaii  |
|           | Ocean Wise      | Gray snapper  | <i>Lutjanus griseus</i>            |  | Wild        | Diver                                  | US: Gulf of Mexico  |
|           | Ocean Wise      | Gray snapper (uku)  | <i>Aprion virescens</i>            |  | Wild        | Handline, Troll, Pole                  | Hawaii  |
|           | Ocean Wise      | Kalekale snapper  | <i>Pristipomoides sieboldii</i>    |  | Wild        | Handline                               | Hawaii  |
|           | Ocean Wise      | Mutton snapper  | <i>Lutjanus analis</i>             |  | Wild        | Handline, Diver                        | US Gulf of Mexico, US South Atlantic  |
|           | Ocean Wise      | Oblique-banded snapper  | <i>Pristipomoides zonatus</i>      |  | Wild        | Handline                               | Hawaii  |
|           | Ocean Wise      | Pink snapper  | <i>Pristipomoides filamentosus</i> |  | Wild        | Handline                               | Hawaii  |
|           | Ocean Wise      | Red snapper   | <i>Etelis carbunculus</i>          |  | Wild        | Handline                               | Hawaii  |
|           | Ocean Wise      | Ruby snapper  | <i>Etelis coruscans</i>            |  | Wild        | Handline                               | Hawaii  |
|           | Ocean Wise      | Rusty jobfish   | <i>Aphareus rustians</i>           |  | Wild        | Handline                               | Hawaii  |
|           | Ocean Wise      | Yellowtail snapper  | <i>Ocyurus chrysurus</i>           |  | Wild        | Handline                               | Gulf of Mexico  |
|           | Not Recommended | Red snapper   | <i>Lutjanus campechanus</i>        |  | Wild        | Handline, Troll, Pole                  | US - Gulf of Mexico, South Atlantic   |
|           | Not Recommended | Lane snapper  | <i>Lutjanus synagris</i>           |  | Wild        | Handline, Trap                         | Brazil Atlantic   |

|           |                 |  |  |  |                          |  |   |                                      |
|-----------|-----------------|--|--|--|--------------------------|--|---|--------------------------------------|
|           | Not Recommended | Lane snapper   | <i>Lutjanus synagris</i>                     |  | Wild                     | Handline, Bottom longline                              | Gulf of Mexico, US South Atlantic   |                                      |
|           | Not Recommended | Mutton snapper   | <i>Lutjanus analis</i>                       |  | Wild                     | Handline, Trap   | Brazil Atlantic   |                                      |
|           | Not Recommended | Mutton snapper   | <i>Lutjanus analis</i>                       |  | Wild                     | Bottom longline  | US Gulf of Mexico   |                                      |
|           | Not Recommended | Gray snapper   | <i>Lutjanus ariseus</i>                      |  | Wild                     | Handline   | US: Gulf of Mexico, Southeast Atlantic  |                                      |
|           | Not Recommended | Thai Snapper, Porgy, Red Hawaiian Porgy, Squirefish, Sea Bream, Red Bream, Cockney | <i>Pagrus auratus, Chrysophrys auratus</i>   |  | Wild                     | Trawl; Bottom longline; Handline; Danish seine         | New Zealand   |                                      |
|           | Not Recommended | Vermilion snapper  | <i>Rhomboplites aurorbens</i>                |  | Wild                     | Handline, Troll, Pole                                  | US - Gulf of Mexico, South Atlantic   |                                      |
|           | Not Recommended | Yellowtail snapper   | <i>Ocyurus chrysurus</i>                     |  | Wild                     | Handline, Troll, Pole, Trap                            | US - Gulf of Mexico, South Atlantic, Brazil   |                                      |
| Sole      | Ocean Wise      | Butter sole  | <i>Isopsetta isolepis</i>                    |  | Wild                     | Bottom trawl   | Alaska  |                                      |
|           | Ocean Wise      | Dover sole   | <i>Microstomus pacificus</i>                 |  | Wild                     | Bottom trawl   | Alaska  |                                      |
|           | Ocean Wise      | Dover sole   | <i>Microstomus pacificus</i>                 |  | Wild                     | Bottom trawl   | Washington, Oregon, California  |                                      |
|           | Ocean Wise      | English sole   | <i>Parophrys vetulus</i>                     |  | Wild                     | Bottom trawl   | British Columbia  |                                      |
|           | Ocean Wise      | English sole   | <i>Parophrys vetulus</i>                     |  | Wild                     | Bottom trawl   | Washington, Oregon, California  |                                      |
|           | Ocean Wise      | Flathead sole  | <i>Hippoglossoides elassodon</i>             |  | Wild                     | Bottom trawl   | Alaska  |                                      |
|           | Ocean Wise      | Petrable sole  | <i>Eopsetta jordani</i>                      |  | Wild                     | Bottom trawl   | British Columbia  |                                      |
|           | Ocean Wise      | Petrable sole  | <i>Eopsetta jordani</i>                      |  | Wild                     | Bottom trawl   | Washington, Oregon, California  |                                      |
|           | Ocean Wise      | Rex sole   | <i>Glyptocephalus zachirus</i>               |  | Wild                     | Bottom trawl   | California, Alaska  |                                      |
|           | Ocean Wise      | Rock sole  | <i>Lepidopsetta bilineata</i>                |  | Wild                     | Bottom trawl   | Alaska  |                                      |
|           | Ocean Wise      | Yellowfin sole   | <i>Pleuronectes asper aka Limanda aspera</i> |  | Wild                     | Bottom trawl   | Alaska  |                                      |
|           | Not Recommended | Dover sole   | <i>Microstomus pacificus</i>                 |  | Wild                     | Bottom trawl   | British Columbia  |                                      |
|           | Not Recommended | Rex sole   | <i>Errex zachirus</i>                        |  | Wild                     | Bottom trawl   | British Columbia  |                                      |
|           | Not Recommended | Rock sole  | <i>Lepidopsetta bilineata</i>                |  | Wild                     | Bottom trawl   | British Columbia  |                                      |
| MSC       | Ocean Wise      | Dover sole   | <i>Microstomus pacificus</i>                 | US West Coast limited entry groundfish trawl                     | Wild                     | Bottom trawl, Midwater trawl                           | Washington, Oregon and California   |                                      |
| MSC       | Ocean Wise      | English sole   | <i>Parophrys vetulus</i>                     | US West Coast limited entry groundfish trawl                     | Wild                     | Bottom trawl, Midwater trawl                           | Washington, Oregon and California   |                                      |
| MSC       | Ocean Wise      | Petrable sole  | <i>Eopsetta jordani</i>                      | US West Coast limited entry groundfish trawl                     | Wild                     | Bottom trawl, Midwater trawl                           | Washington, Oregon and California   |                                      |
| MSC       | Ocean Wise      | Flathead Sole  | <i>Hippoglossoides elassodon</i>             | Alaska Flatfish - Bering Sea and Aleutian Islands                | Wild                     | Bottom trawl   | Bering Sea and Aleutian Islands   |                                      |
| MSC       | Ocean Wise      | Northern rock sole   | <i>Lepidopsetta polyxystra</i>               | Alaska Flatfish - Bering Sea and Aleutian Islands                | Wild                     | Bottom trawl   | Bering Sea and Aleutian Islands   |                                      |
| MSC       | Ocean Wise      | Yellowfin sole   | <i>Limanda aspera</i>                        | Alaska Flatfish - Bering Sea and Aleutian Islands                | Wild                     | Bottom trawl   | Bering Sea and Aleutian Islands   |                                      |
| MSC       | Ocean Wise      | Flathead Sole  | <i>Hippoglossoides elassodon</i>             | Alaska Flatfish - Gulf of Alaska                                 | Wild                     | Bottom trawl   | Gulf of Alaska  |                                      |
| MSC       | Ocean Wise      | Northern rock sole   | <i>Lepidopsetta polyxystra</i>               | Alaska Flatfish - Gulf of Alaska                                 | Wild                     | Bottom trawl   | Gulf of Alaska  |                                      |
| MSC       | Ocean Wise      | Rex sole   | <i>Glyptocephalus zachirus</i>               | Alaska Flatfish - Gulf of Alaska                                 | Wild                     | Bottom trawl   | Gulf of Alaska  |                                      |
| MSC       | Ocean Wise      | Southern Rock Sole   | <i>Lepidopsetta bilineata</i>                | Alaska Flatfish - Gulf of Alaska                                 | Wild                     | Bottom trawl   | Gulf of Alaska  |                                      |
| MSC       | Not Recommended | Dover Sole   | <i>Solea solea</i>                           | Cooperative Fishery Organisation (CVO) North Sea plaice and sole | Wild                     | Trawl; Various   | The North Sea   |                                      |
| MSC       | Not Recommended | Dover Sole   | <i>Solea solea</i>                           | DFPO Denmark North Sea sole                                      | Wild                     | Bottom trawl; Gillnet                                  | North Sea   |                                      |
| MSC       | Not Recommended | Dover sole   | <i>Solea solea</i>                           | FROM Nord North Sea and Eastern Channel trammel net sole         | Wild                     | Trammel net  | North Sea and Eastern Channel: FAO area 27. North Sea stock: ICES subarea IVc. Eastern Channel stock: ICES division VIIId |                                      |
| Spearfish | Not Recommended | Shortbill spearfish  | <i>Tetrapturus angustirostris</i>            |  | Wild                     | Pelagic longline, Pole, Handline, Purse seine, Various | Hawaii, Pacific Imported  |                                      |
| Sprat     | MSC             | Ocean Wise   | European Sprat                               | <i>Sprattus sprattus</i>   | LFPO pelagic trawl sprat | Wild   | Trawl; various  | Northeast Atlantic                   |
| Squid     |                 | Ocean Wise   | Humboldt squid, jumbo squid                  | <i>Dosidicus gigas</i>   |                          | Wild   | Jig   | Mexico, Gulf of California           |
|           |                 | Ocean Wise   | Humboldt squid, jumbo squid                  | <i>Dosidicus gigas</i>   |                          | Wild   | Jig   | Chile, Peru                          |
|           |                 | Ocean Wise   | Japanese flying squid                        | <i>Todarodes pacificus</i>                                       |                          | Wild   | Jig, unassociated purse seine, trap net   | Japan                                |
|           | Not Recommended | Japanese flying squid  | <i>Todarodes pacificus</i>                   |  | Wild                     | Bottom trawl   | Japan   |                                      |
|           | Not Recommended | Indian squid   | <i>Loligo duvauceuli</i>                     |  | Wild                     | Bottom trawl   | India, Thailand   |                                      |
|           | Not Recommended | Longfin squid  | <i>Loligo pealei</i>                         |  | Wild                     | Bottom trawl   | US Atlantic   |                                      |
|           | Not Recommended | Market squid   | <i>Loligo opalescens</i>                     |  | Wild                     | Purse seine  | California  |                                      |
|           | Not Recommended | Mitre squid  | <i>Loligo chilensis</i>                      |  | Wild                     | Bottom trawl   | China, Thailand   |                                      |
|           | Not Recommended | Argentine shortfin squid   | <i>Illex argentinus</i>                      |  | Wild                     | Jig  | Argentina   |                                      |
|           | Not Recommended | Shortfin squid   | <i>Illex illecebrosus</i>                    |  | Wild                     | Bottom trawl   | East coast US   |                                      |
| Steelhead |                 | Ocean Wise   | Steelhead                                    | <i>Oncorhynchus mykiss</i>                                       |                          | Farmed   | Open net pen, Man-made lake   | Lois Lake, Canada                    |
|           |                 | Ocean Wise   | Steelhead                                    | <i>Oncorhynchus mykiss</i>                                       |                          | Farmed   | Recirculating aquaculture systems (RAS)   | Worldwide                            |
|           | Under Review    | Steelhead  | <i>Oncorhynchus mykiss</i>                   |  | Farmed/Wild              | Open net pen, Raceway                                  | Canada  |                                      |
| Sturgeon  |                 | Ocean Wise   | Atlantic sturgeon                            | <i>Acipenser oxyrinchus</i>                                      |                          | Farmed   | Recirculating aquaculture system (RAS)  | US                                   |
|           |                 | Ocean Wise   | Beluga sturgeon                              | <i>Huso huso</i>   |                          | Farmed   | Recirculating aquaculture system (RAS)  | US                                   |
|           |                 | Ocean Wise   | Russian sturgeon                             | <i>Acipenser gueldenstaedtii</i>                                 |                          | Farmed   | Recirculating aquaculture system (RAS)  | US                                   |
|           |                 | Ocean Wise   | Shortnose sturgeon                           | <i>Acipenser brevirostrum</i>                                    |                          | Farmed   | Recirculating aquaculture system (RAS)  | Worldwide                            |
|           |                 | Ocean Wise   | Siberian sturgeon                            | <i>Acipenser baerii</i>  |                          | Farmed   | Recirculating aquaculture system (RAS)  | US                                   |
|           |                 | Ocean Wise   | Sturgeon                                     | <i>Various spp</i>   |                          | Farmed   | Recirculating aquaculture system (RAS)  | Worldwide                            |
|           |                 | Ocean Wise   | Sterlet                                      | <i>Acipenser ruthenus</i>  |                          | Farmed   | Recirculating aquaculture system (RAS)  | US                                   |
|           |                 | Ocean Wise   | White sturgeon                               | <i>Acipenser transmontanus</i>                                   |                          | Farmed   | Recirculating aquaculture system (RAS)  | Worldwide                            |
|           |                 | Ocean Wise   | White sturgeon                               | <i>Acipenser transmontanus</i>                                   |                          | Farmed   | Recirculating aquaculture system (RAS)  | US                                   |
|           | Not Recommended | Atlantic sturgeon  | <i>Acipenser oxyrinchus oxyrinchus</i>       |  | Wild                     | Large mesh bottom gillnet                              | Quebec: St Lawrence River   |                                      |
|           | Not Recommended | Lake sturgeon  | <i>Acipenser fulvescens</i>                  |  | Wild                     | Large mesh bottom gillnet                              | Quebec: St Lawrence River   |                                      |
|           | Not Recommended | Paddlefish   | <i>Polyodon spathula</i>                     |  | Wild                     | Drift gillnet  | Mississippi River, US   |                                      |
|           | Not Recommended | Showelnose sturgeon  | <i>Scaphirhynchus platorhynchus</i>          |  | Wild                     | Drift gillnet  | Mississippi River, US   |                                      |
|           | Not Recommended | White sturgeon   | <i>Acipenser transmontanus</i>               |  | Wild                     | Drift gillnet  | Columbia River Ore.   |                                      |
|           | Under Review    | Atlantic sturgeon  | <i>Acipenser oxyrinchus oxyrinchus</i>       |  | Wild                     | Bottom gillnet   | New Brunswick, St. Johns River  |                                      |
| Swordfish |                 | Ocean Wise   | Swordfish                                    | <i>Xiophias gladius</i>  |                          | Wild   | Handline  | Western and Central Pacific: Vietnam |
|           |                 | Ocean Wise   | Swordfish                                    | <i>Xiophias gladius</i>  |                          | Wild   | Shallow-set longline  | Hawaii                               |
|           |                 | Ocean Wise   | Swordfish                                    | <i>Xiophias gladius</i>  |                          | Wild   | Buoy  | US Atlantic, Northern Stock          |
|           |                 | Ocean Wise   | Swordfish                                    | <i>Xiophias gladius</i>  |                          | Wild   | Pelagic longline  | Atlantic US, Gulf of Mexico          |

|                 |                 |                             |  |   |        |   |  |
|-----------------|-----------------|-----------------------------|--|---|--------|---|--|
|                 | Ocean Wise      | Swordfish                   | <i>Xiophias gladius</i>  |   | Wild   | Harpoon, Handline                                       | Atlantic Canada, US, Hawaii  |
|                 | Ocean Wise      | Swordfish                   | <i>Xiophias gladius</i>  |   | Wild   | Harpoon, Handline                                       | Pacific Ocean  |
|                 | Ocean Wise      | Swordfish                   | <i>Xiophias gladius</i>  |   | Wild   | Harpoon   | South Atlantic Ocean   |
|                 | Not Recommended | Swordfish                   | <i>Xiophias gladius</i>  |   | Wild   | Pelagic longline  | Pacific Ocean (excluding Hawaii)   |
|                 | Not Recommended | Swordfish                   | <i>Xiophias gladius</i>  |   | Wild   | Gillnet   | California   |
|                 | Not Recommended | Swordfish                   | <i>Xiophias gladius</i>  |   | Wild   | Shallow-set longline, Pelagic longline                  | Indian Ocean   |
|                 | Not Recommended | Swordfish                   | <i>Xiophias gladius</i>  |   | Wild   | Pelagic longline  | Atlantic Ocean (excluding US)  |
| MSC             | Ocean Wise      | North Atlantic swordfish    | <i>Xiophias gladius</i>  | North West Atlantic Canada harpoon swordfish  | Wild   | Harpoon   | NAFO areas 3, 4, 5, & 6 as well as outside the NAFO Convention Area, in the ICCAT Northern Swordfish Boundary Area |
| MSC             | Not Recommended | North Atlantic swordfish    | <i>Xiophias gladius</i>  | North West Atlantic Canada longline swordfish   | Wild   | Pelagic longline  | Atlantic Canadian EEZ and international waters within the ICCAT Northern Swordfish Boundary Area                   |
| MSC             | Not Recommended | Broadbill swordfish         | <i>Xiophias gladius</i>  | Walker Seafood Australia albacore, yellowfin tuna and swordfish                                   | Wild   | Pelagic longline  | Australia - FAO statistical area 81, Western and Central Pacific Ocean   |
| Tilapia         | Ocean Wise      | Blue Tilapia                | <i>Oreochromis aureus</i>  |   | Farmed | Raceway   | Peru   |
|                 | Ocean Wise      | Nile tilapia                | <i>Oreochromis niloticus</i>   |   | Farmed | Open net pen  | Mexico, Indonesia, Honduras  |
|                 | Ocean Wise      | Nile Tilapia                | <i>Oreochromis niloticus</i>   |   | Farmed | Recirculating aquaculture system (RAS)                  | Worldwide  |
|                 | Ocean Wise      | Tilapia                     | <i>Oreochromis spp., Sarotherodon spp., Tilapia spp.</i>   |   | Farmed | Recirculating aquaculture system (RAS)                  | US   |
|                 | Ocean Wise      | Tilapia                     | <i>Oreochromis spp., Sarotherodon spp., Tilapia spp.</i>   |   | Farmed | Pond  | Ecuador  |
|                 | Not Recommended | Tilapia                     | <i>Oreochromis niloticus, O. niloticus x Oreochromis mossambicus, O. niloticus, Oreochromis spp.</i> |   | Farmed | Ponds   | China  |
|                 | Not Recommended | Tilapia                     | <i>Oreochromis mossambicus, O. niloticus, Oreochromis spp.</i>                                       |   | Farmed | Ponds   | Taiwan   |
|                 | Not Recommended | Tilapia                     | <i>Oreochromis mossambicus, O. niloticus, Oreochromis spp.</i>                                       |   | Farmed | Open net pen  | Columbia   |
| Naturland       | Ocean Wise      | Tilapia                     | <i>Oreochromis spp</i>   |   | Farmed | Various   | Worldwide  |
| Tilefish        | Ocean Wise      | Golden tilefish             | <i>Lopholatilus chamaeleonticeps</i>   |   | Wild   | Bottom longline; Handline                               | Western Atlantic (East Coast of North America)   |
|                 | Not Recommended | Blue tilefish               | <i>Caulolatilus microps</i>  |   | Wild   | Bottom longline; Handline                               | Gulf of Mexico, US S. Atlantic   |
| Triggerfish     | Not Recommended | Queen triggerfish           | <i>Balistes vetula</i>   |   | Wild   | Handline, pot, trap, diver, bottom longline             | US, Puerto Rico  |
|                 | Not Recommended | Gray triggerfish            | <i>Balistes capricus</i>   |   | Wild   | Handline  | US Gulf of Mexico  |
|                 | Not Recommended | Gray triggerfish            | <i>Balistes capricus</i>   |   | Wild   | Diver, Handline   | US Southeast Atlantic  |
| Trout           | Ocean Wise      | Brook trout, speckled trout | <i>Salvelinus fontinalis</i>   |   | Farmed | Recirculating Aquaculture Systems (RAS)                 | Worldwide  |
|                 | Ocean Wise      | Lake trout                  | <i>Salvelinus namaycush</i>  |   | Wild   | Trap net, Gillnet                                       | Canada (Lake Huron), US (Lake Huron, Lake Superior - Michigan and Minnesota, Lake Michigan)                        |
|                 | Ocean Wise      | Rainbow trout               | <i>Oncorhynchus mykiss</i>   |   | Farmed | Recirculating Aquaculture Systems (RAS)                 | Worldwide  |
|                 | Ocean Wise      | Rainbow trout, steelhead    | <i>Oncorhynchus mykiss</i>   |   | Farmed | Open net pen, Man-made lake                             | Lois Lake, Canada  |
|                 | Ocean Wise      | Rainbow trout, steelhead    | <i>Oncorhynchus mykiss</i>   |   | Wild   | Midwater gillnet  | US Washington: Quillayute River  |
|                 | Ocean Wise      | Rainbow trout, steelhead    | <i>Oncorhynchus mykiss</i>   |   | Farmed | Raceway, Pond   | United States: Washington  |
|                 | Ocean Wise      | Rainbow trout, steelhead    | <i>Oncorhynchus mykiss</i>   |   | Farmed | Open net pen  | United States  |
|                 | Not Recommended | Rainbow trout               | <i>Oncorhynchus mykiss</i>   |   | Wild   | Midwater gillnet  | US Washington: Chehalis River, Hoh River, Queets River, Quinalt River, Humptulst River                             |
|                 | Not Recommended | Lake trout                  | <i>Salvelinus namaycush</i>  |   | Wild   | Trap net; Gillnet                                       | Canada (Lake Superior), US (Lake Superior - Wisconsin)   |
|                 | Under Review    | Steelhead                   | <i>Oncorhynchus mykiss</i>   |   | Farmed | Open net pen  | Canada   |
| Tuna (Albacore) | Ocean Wise      | Albacore tuna               | <i>Thunnus alalunga</i>  |   | Wild   | Troll, Pole   | Pacific Ocean (excluding Hawaii)   |
|                 | Ocean Wise      | Albacore tuna               | <i>Thunnus alalunga</i>  |   | Wild   | Deepset longline  | Hawaii   |
|                 | Ocean Wise      | Albacore tuna               | <i>Thunnus alalunga</i>  |   | Wild   | Troll, Pole   | North Atlantic Ocean   |
|                 | Not Recommended | Albacore tuna               | <i>Thunnus alalunga</i>  |   | Wild   | Pelagic longline  | Pacific Ocean  |
|                 | Not Recommended | Albacore tuna               | <i>Thunnus alalunga</i>  |   | Wild   | Pelagic longline, Deepset longline, Shallowset longline | Indian Ocean   |
|                 | Not Recommended | Albacore tuna               | <i>Thunnus alalunga</i>  |   | Wild   | Pelagic longline  | North Atlantic Ocean   |
|                 | Not Recommended | Albacore tuna               | <i>Thunnus alalunga</i>  |   | Wild   | Troll, Pole, Pelagic longline                           | South Atlantic Ocean   |
|                 | Not Recommended | Albacore tuna               | <i>Thunnus alalunga</i>  |   | Wild   | Gillnet   | California   |
| MSC             | Ocean Wise      | Albacore tuna               | <i>Thunnus alalunga</i>  | American Western Fish Boat Owners Association (WFOA) albacore tuna North Pacific                  | Wild   | Troll, Pole, Jig  | US North Pacific   |
| MSC             | Ocean Wise      | Albacore tuna               | <i>Thunnus alalunga</i>  | Canadian Highly Migratory Species Foundation (CHMSF) British Columbia albacore tuna North Pacific | Wild   | Troll, Jig  | British Columbia   |
| MSC             | Ocean Wise      | Albacore tuna               | <i>Thunnus alalunga</i>  | American Samoa EEZ Albacore and Yellowfin Longline Fishery  | Wild   | Longline  | American Samoa   |
| MSC             | Ocean Wise      | Albacore tuna               | <i>Thunnus alalunga</i>  | New Zealand albacore tuna troll   | Wild   | Troll   | New Zealand  |
| MSC             | Not Recommended | Albacore tuna               | <i>Thunnus alalunga</i>  | Fiji albacore tuna longline   | Wild   | Pelagic longline  | Fiji   |
| MSC             | Not Recommended | Albacore tuna               | <i>Thunnus alalunga</i>  | Walker Seafood Australia albacore, yellowfin tuna and swordfish                                   | Wild   | Pelagic longline  | Australia - FAO statistical area 81, Western and Central Pacific Ocean   |
| MSC             | Not Recommended | Albacore tuna               | <i>Thunnus alalunga</i>  | North Atlantic albacore artisanal fishery   | Wild   | Troll, Pole   | North Atlantic, FAO 27 Atlantic, Northeast   |
| Tuna (Bigeye)   | Not Recommended | Bigeye tuna                 | <i>Thunnus obesus</i>  |   | Wild   | Greenstick  | Atlantic Ocean   |
|                 | Not Recommended | Bigeye tuna                 | <i>Thunnus obesus</i>  |   | Wild   | FAD purse seine, Pelagic longline                       | Pacific Ocean  |
|                 | Not Recommended | Bigeye tuna                 | <i>Thunnus obesus</i>  |   | Wild   | FAD purse seine, Pelagic longline                       | Indian Ocean   |
|                 | Not Recommended | Bigeye tuna                 | <i>Thunnus obesus</i>  |   | Wild   | FAD purse seine, Pelagic longline                       | Atlantic Ocean   |
| Tuna (Blackfin) | Not Recommended | Blackfin tuna               | <i>Thunnus atlanticus</i>  |   | Wild   | Troll, Pole, Greenstick                                 | Atlantic Ocean   |
|                 | Not Recommended | Blackfin tuna               | <i>Thunnus atlanticus</i>  |   | Wild   | FAD purse seine, Pelagic longline                       | Atlantic Ocean   |
| Tuna (Bluefin)  | Not Recommended | Pacific Bluefin tuna        | <i>Thunnus orientalis</i>  |   | Wild   | Unassociated purse seine, Pelagic longline              | Pacific Ocean  |
|                 | Not Recommended | Pacific Bluefin tuna        | <i>Thunnus orientalis</i>  |   | Farmed | Open net pen  | Japan, Mexico  |
|                 | Not Recommended | Pacific Bluefin tuna        | <i>Thunnus orientalis</i>  |   | Wild   | Gillnet   | California   |
|                 | Not Recommended | Atlantic Bluefin tuna       | <i>Thunnus thynnus</i>   |   | Wild   | All gears   | Worldwide  |
|                 | Not Recommended | Atlantic Bluefin tuna       | <i>Thunnus thynnus</i>   |   | Farmed | Open net pen  | Mediterranean Sea  |
|                 | Not Recommended | Southern Bluefin tuna       | <i>Thunnus maccoyii</i>  |   | Farmed | Open net pen  | Australia  |
|                 | Not Recommended | Southern Bluefin tuna       | <i>Thunnus maccoyii</i>  |   | Wild   | Pelagic longline  | Pacific Ocean, Indian Ocean  |
| Tuna (Skipjack) | Ocean Wise      | Skipjack tuna               | <i>Katsuwonus pelamis</i>  |   | Wild   | Troll, Pole   | Western and Central Pacific  |
|                 | Ocean Wise      | Skipjack tuna               | <i>Katsuwonus pelamis</i>  |   | Wild   | Longline  | Hawaii   |

|                  |                 |  |   |   |  |  |  |   |
|------------------|-----------------|--|---|---|--|--|--|---|
|                  | Ocean Wise      | Skipjack tuna  | <i>Katsuwonus pelamis</i>   |   | Wild   | Troll, Pole  | Indian Ocean   |   |
|                  | Ocean Wise      | Skipjack tuna  | <i>Katsuwonus pelamis</i>   |   | Wild   | Unassociated purse seine   | Indian Ocean   |   |
|                  | Ocean Wise      | Skipjack tuna  | <i>Katsuwonus pelamis</i>   |   | Wild   | Troll, Pole, Greenstick, Unassociated purse seine                        | Atlantic Ocean   |   |
|                  | Not Recommended | Skipjack tuna  | <i>Katsuwonus pelamis</i>   |   | Wild   | FAD purse seine  | Pacific Ocean (excluding Hawaii)   |   |
|                  | Not Recommended | Skipjack tuna  | <i>Katsuwonus pelamis</i>   |   | Wild   | FAD purse seine  | Indian Ocean   |   |
|                  | Not Recommended | Skipjack tuna  | <i>Katsuwonus pelamis</i>   |   | Wild   | FAD purse seine  | Atlantic Ocean   |   |
| MSC              | Ocean Wise      | Skipjack tuna  | <i>Katsuwonus pelamis</i>   | PNA Western and Central Pacific skipjack and tuna                             | Wild   | Unassociated purse seine   | Western and Central Pacific  |   |
| MSC              | Ocean Wise      | Skipjack tuna  | <i>Katsuwonus pelamis</i>   | Tri Marine Western and Central Pacific skipjack and yellowfin tuna            | Wild   | Unassociated purse seine   | Western and Central Pacific  |   |
| MSC              | Ocean Wise      | Skipjack tuna  | <i>Katsuwonus pelamis</i>   | Solomon Islands skipjack and yellowfin tuna purse seine and pole & line       | Wild   | Unassociated purse seine, Pole, Troll                                    | Western and Central Pacific Ocean. FAO Statistical area 71   |   |
| MSC              | Ocean Wise      | Skipjack tuna  | <i>Katsuwonus pelamis</i>   | Northeastern Tropical Pacific Purse Seine yellowfin and skipjack tuna fishery | Wild   | Free-Set Purse Seine   | Mexico   |   |
| MSC              | Not Recommended | Skipjack tuna  | <i>Katsuwonus pelamis</i>   | Northeastern Tropical Pacific Purse Seine yellowfin and skipjack tuna fishery | Wild   | Dolphin-set purse seine  | Mexico   |   |
| MSC              | Not Recommended | Skipjack tuna  | <i>Katsuwonus pelamis</i>   | Talley's New Zealand Skipjack Tuna  | Wild   | Purse Seine  | New Zealand  |   |
| Tuna (Tongol)    | Ocean Wise      | Tongol tuna  | <i>Thunnus tonggol</i>  |   | Wild   | Handline, Troll  | Western Central Pacific Ocean (Indonesia)  |   |
|                  | Ocean Wise      | Tongol tuna  | <i>Thunnus tonggol</i>  |   | Wild   | Unassociated purse seine   | Western Central Pacific Ocean (Malaysia and Thailand)  |   |
|                  | Not Recommended | Tongol tuna  | <i>Thunnus tonggol</i>  |   | Wild   | Unassociated purse seine   | Indian Ocean (Thailand, Malaysia, Iran)  |   |
|                  | Not Recommended | Tongol tuna  | <i>Thunnus tonggol</i>  |   | Wild   | Troll, Pole  | Indian Ocean (Indonesia, Iran)   |   |
|                  | Not Recommended | Tongol tuna  | <i>Thunnus tonggol</i>  |   | Wild   | Gillnet, Drift gillnet   | Indian Ocean (Indonesia, Iran) and WCPO (Indonesia)  |   |
| Tuna (Yellowfin) | Ocean Wise      | Yellowfin tuna                                       | <i>Thunnus albacares</i>  |   | Wild   | Handline, Troll/Pole   | Western Central Pacific Ocean (excluding Hawaii)   |   |
|                  | Ocean Wise      | Yellowfin tuna                                       | <i>Thunnus albacares</i>  |   | Wild   | Deepset longline   | Hawaii   |   |
|                  | Ocean Wise      | Yellowfin tuna                                       | <i>Thunnus albacares</i>  |   | Wild   | Dolphin-set purse seine  | Pacific Ocean (East)   |   |
|                  | Ocean Wise      | Yellowfin tuna                                       | <i>Thunnus albacares</i>  |   | Wild   | Unassociated purse seine   | Pacific Ocean (West)   |   |
|                  | Ocean Wise      | Yellowfin tuna                                       | <i>Thunnus albacares</i>  |   | Wild   | Greenstick   | North Atlantic   |   |
|                  | Not Recommended | Yellowfin tuna                                       | <i>Thunnus albacares</i>  |   | Wild   | Troll, Pole  | Atlantic Ocean   |   |
|                  | Not Recommended | Yellowfin tuna                                       | <i>Thunnus albacares</i>  |   | Wild   | FAD purse seine, Pelagic longline  | Pacific Ocean (excluding Hawaii)   |   |
|                  | Not Recommended | Yellowfin tuna                                       | <i>Thunnus albacares</i>  |   | Wild   | Unassociated purse seine   | Pacific Ocean (East)   |   |
|                  | Not Recommended | Yellowfin tuna                                       | <i>Thunnus albacares</i>  |   | Wild   | Troll, Pole, FAD purse seine, Unassociated purse seine, Pelagic longline | Indian Ocean   |   |
|                  | Not Recommended | Yellowfin tuna                                       | <i>Thunnus albacares</i>  |   | Wild   | Unassociated purse seine, FAD purse seine, Pelagic longline              | Atlantic Ocean   |   |
| MSC              | Ocean Wise      | Yellowfin tuna                                       | <i>Thunnus albacares</i>  | PNA Western and Central Pacific skipjack and tuna                             | Wild   | Unassociated purse seine   | Western and Central Pacific  |   |
| MSC              | Ocean Wise      | Yellowfin tuna                                       | <i>Thunnus albacares</i>  | Maldives pole & line skipjack & yellowfin tuna                                | Wild   | Pole, Troll  | Maldives   |   |
| MSC              | Ocean Wise      | Yellowfin tuna                                       | <i>Thunnus albacares</i>  | Tri Marine Western and Central Pacific skipjack and yellowfin tuna            | Wild   | Unassociated purse seine   | Western and Central Pacific  |   |
| MSC              | Ocean Wise      | Yellowfin tuna                                       | <i>Thunnus albacares</i>  | Solomon Islands skipjack and yellowfin tuna purse seine and pole & line       | Wild   | Unassociated purse seine   | Western and Central Pacific Ocean. FAO Statistical area 71   |   |
| MSC              | Ocean Wise      | Yellowfin tuna                                       | <i>Thunnus albacares</i>  | American Samoa EEZ Albacore and Yellowfin Longline Fishery                    | Wild   | Longline   | American Samoa   |   |
| MSC              | Ocean Wise      | Yellowfin tuna                                       | <i>Thunnus albacares</i>  | Northeastern Tropical Pacific Purse Seine yellowfin and skipjack tuna fishery | Wild   | Free-Set Purse Seine   | Mexico   |   |
| MSC              | Not Recommended | Yellowfin tuna                                       | <i>Thunnus albacares</i>  | Northeastern Tropical Pacific Purse Seine yellowfin and skipjack tuna fishery | Wild   | Dolphin-set purse seine  | Mexico   |   |
| MSC              | Not Recommended | Yellowfin tuna                                       | <i>Thunnus albacares</i>  | Walker Seafood Australia albacore, yellowfin tuna and swordfish               | Wild   | Pelagic longline   | Australia - FAO statistical area 81, Western and Central Pacific Ocean   |   |
| Turbot           | Ocean Wise      | Greenland halibut; Greenland turbot                  | <i>Reinhardtius hippoglossoides</i>   |   | Wild   | Bottom longline, Bottom trawl  | Alaska   |   |
|                  | Not Recommended | Greenland turbot                                     | <i>Reinhardtius hippoglossoides</i>   |   | Wild   | Bottom gillnet, Bottom longline, Bottom trawl                            | Greenland  |   |
| MSC              | Ocean Wise      | Greenland Halibut                                    | <i>Reinhardtius hippoglossoides</i>   | ISF Greenland Halibut   | Wild   | Trawl, Gillnet, Longline   | Greenland  |   |
| MSC              | Ocean Wise      | Greenland Halibut                                    | <i>Reinhardtius hippoglossoides</i>   | West Greenland Halibut offshore Greenland Halibut                             | Wild   | Bottom trawl   | Greenland Northwest Atlantic   |   |
| Tusk             | MSC             | Ocean Wise   | Tusk  | <i>Brosme brosme</i>  | ISF Iceland golden redfish, blue ling and tusk         | Wild   | Trawl, Seine, longline, handline   | North East Atlantic (FAO 27)                    |
|                  | MSC             | Not Recommended                                      | Tusk  | <i>Brosme brosme</i>  | NFA Norwegian Ling and Tusk and Norwegian NFA lumpfish | Wild   | Gillnet, longline, traps   | Norway  |
| Urchin           | Ocean Wise      | Green sea urchin, red sea urchin, uni                | <i>Strongylocentrotus droebachiensis</i> , <i>Strongylocentrotus franciscanus</i> |   | Wild   | Diver, Hand harvest  | BC, Atlantic Canada  |   |
|                  | Not Recommended | Green sea urchin, uni                                | <i>Strongylocentrotus droebachiensis</i>  |   | Wild   | Various  | Maine  |   |
|                  | Not Recommended | Red urchin   | <i>Strongylocentrotus franciscanus</i>  |   | Wild   | Diver, Hand harvest  | California   |   |
| Vendace          | MSC             | Ocean Wise   | Vendace   | <i>Coregonus albus</i>  | NKF Bothnian Bay vendace trawl                         | Wild   | Bottom trawl   | FAO 27 Atlantic, ICES subdivision area IIIa, 31 |
| Wahoo            | Ocean Wise      | Wahoo (Pacific kingfish)                             | <i>Acanthocybium solandri</i>   |   | Wild   | Troll, Handline  | US: Pacific (Hawaii) and US Atlantic   |   |
|                  | Not Recommended | Wahoo (Pacific kingfish)                             | <i>Acanthocybium solandri</i>   |   | Wild   | Pelagic longline   | US Atlantic, US Gulf of Mexico   |   |
|                  | Not Recommended | Wahoo (Pacific kingfish)                             | <i>Acanthocybium solandri</i>   |   | Wild   | FAD purse seine  | North Atlantic, South Atlantic, East Pacific   |   |
| Walleye          | Ocean Wise      | aka yellow pickerel, pickerel, yellow pike, dore     | <i>Sander vitreus</i>   |   | Wild   | Bottom gillnet, Trap net   | Canada (Lake Erie, Lake Huron, Lake Ontario), US (Lake Huron, Lake Michigan, Lake Superior - Michigan)   |   |
|                  | Not Recommended | aka yellow pickerel, pickerel, yellow pike, dore     | <i>Sander vitreus</i>   |   | Wild   | Bottom gillnet, Trap net   | Canada (Lake Superior, Lake Manitoba, Lake Winnipeg, Lake Winnipegosis), US (Lake Superior - Wisconsin)  |   |
| MSC              | Not Recommended | Walleye  | <i>Sander vitreus</i>   | Waterhen Lake walleye and Northern pike Commercial Gillnet                    | Wild   | Gillnet  | Waterhen Lake, Manitoba  |   |
| Weakfish         | Not Recommended | aka Grey trout, northern seatrout, Atlantic seatrout | <i>Cynoscion regalis</i>  |   | Wild   | Gillnet; Seine; Bottom trawl   | US Atlantic  |   |
| Whitefish, Lake  | Ocean Wise      | Lake whitefish                                       | <i>Coregonus clupeaformis</i>   |   | Wild   | Bottom gillnet, Trap net   | Canada (Lake Erie, Lake Huron, Lake Ontario, Lake Superior) & US (Lake Huron, Lake Erie, Lake Michigan - Wisconsin and Michigan, Lake Superior - Michigan) |   |
|                  | Not Recommended | Lake whitefish                                       | <i>Coregonus clupeaformis</i>   |   | Wild   | Bottom gillnet, Trap net   | Canada (Lake Manitoba, Lake Winnipeg, Lake Winnipegosis) & US (Lake Superior - Wisconsin)  |   |
|                  | Not Recommended | Round whitefish                                      | <i>Prosopium cylindraceum</i>   |   | Wild   | Trap net; Gillnet  | Great Lakes  |   |
| White Seabass    | Ocean Wise      | White seabass  | <i>Atractoscion nobilis</i>   |   | Wild   | Handline, Drift gillnet  | California   |   |

Defer to SFW for NOW. Removed from website  
Defer to SFW for NOW. Removed from website

|            |     |                 |  |   |   |        |                                  |   |
|------------|-----|-----------------|--|---|---|--------|----------------------------------|---|
|            |     | Not Recommended | White seabass  | <i>Atractoscion nobilis</i>               |   | Wild   | Bottom gillnet                   | California  |
| Whelk      | MSC | Ocean Wise      | Whelk  | <i>Buccinum undatum</i>                   | Basse Normandy Granville Bay<br>Whelk                               | Wild   | Pots                             | Normandy, France  |
| Whiting    | MSC | Ocean Wise      | Blue whiting   | <i>Micromesistius poutassou</i>           | Faroese Pelagic Organisation (FPO) North East Atlantic blue whiting | Wild   | Midwater trawl                   | North east Atlantic. FAO statistical area 27              |
|            | MSC | Ocean Wise      | Southern blue whiting                                  | <i>Micromesistius australis</i>           | New Zealand EEZ southern blue whiting pelagic trawl                 | Wild   | Midwater trawl                   | New Zealand - Bounty Platform, Bounty Island, Pukaki rise |
| Wolffish   | MSC | Ocean Wise      | Atlantic Wolffish                                      | <i>Anarhichas lupus</i>                   | ISF Iceland saithe, ling, Atlantic wolffish and plaice              | Wild   | Trawl, seine, longline, handline | North East atlantic (FAO 27)                              |
| Wreckfish  |     | Ocean Wise      | aka Sea bass   | <i>Polyprion americanus</i>               |   | Wild   | Handline                         | US North Atlantic   |
| Yellowtail |     | Ocean Wise      | California yellowtail                                  | <i>Seriola lalandi</i>                    |   | Wild   | Handline                         | California  |
|            |     | Ocean Wise      | Almaco jack (Hamachi, yellowtail, amberjack, kampachi) | <i>Seriola rivoliana</i>                  |   | Farmed | Submersible net pen              | Hawaii  |
|            |     | Ocean Wise      | Greater amberjack                                      | <i>Seriola dumerili</i>                   |   | Wild   | Diver                            | US Gulf of Mexico   |
|            |     | Not Recommended | Hamachi, Yellowtail, kingfish, amberjack               | <i>Seriola quinqueradiata, S. lalandi</i> |   | Farmed | Open net pen                     | Japan   |
|            |     | Not Recommended | California yellowtail                                  | <i>Seriola lalandi</i>                    |   | Wild   | Drift gillnet, Bottom gillnet    | California  |
|            |     | Not Recommended | Greater amberjack                                      | <i>Seriola dumerili</i>                   |   | Wild   | Handline                         | US South Atlantic, US Gulf of Mexico                      |